

BWPL/EC/2025/010**Date: 06.08.2025****To****The Member Secretary (SEIAA)****Directorate of Environment and Climate Change,
C/o Punjab State Council for Science & Technology,
MGSIPA Complex, Sector-26,
Chandigarh – 160019.****Subject: Submission of Compliance report for the period of Jan 2025 - June 2025.**

Respected Sir,

With reference to the above subject, we are submitting herewith Six-monthly compliance report (**Jan 2025 - June 2025**) for your kind consideration and for display on website of Ministry of Environment and Forests.

We hope that all the document / information as submitted shall be in order.

Thanking you

with regards,



Authorized Signatory

Bantech Water Private Limited

2025

**SIX MONTHLY COMPLIANCE
REPORT
(Period ending 30.06.2025)**


For

**“600 KLD Common Effluent Treatment Plant
(CETP)”**

**PSIEC Industrial Focal Point, Chanalon (Kurali),
Punjab**

Prepared By:

**M/s Bantech Water Pvt. Ltd.
Industrial Focal Point PSIEC, Chanalon,
SAS Nagar, Mohali, Punjab, 140103**



CONTENT

S. No.	DESCRIPTION	Page No.
1.	Data Sheet	
2.	Compliance of Environmental Clearance conditions	
ANNEXURE		
3.	A-1: Copy of Environment Clearance Letter	
4.	A-2: Certificate of Incorporation of new name	
5.	A-3: Photographs of the project site	
6.	A-4: Copy of Consent to Operate obtained from PPCB	
7.	A-5: Copy of water permission letter	
8.	A-6: Copy of permission letter from PSPCL for power supply	
9.	A-7: Building plan approval	
10.	A-8: Test Reports of Ambient Air, Noise, water & Soil	
11.	A-9: PUC certificates of vehicles used at construction site	
12.	A-10: Copy of advertisement	
13.	A-11: Screenshot of EC letter uploaded on the website	
14.	A-12: Acknowledgement of the previously submitted six monthly compliance report for period ending 31.03.2021	
15.	A-13: Copy of intent letter obtained from MIA	

Ministry of Environment, Forest & Climate Change
Northern Region Office
Chandigarh-160030

Data Sheet

1.	Project Type	Common Effluent Treatment Plant
2.	Name of the Project	600 KLD Common Effluent Treatment Plant (CETP)
3.	Clearance letter (s) O.M. No. & Date	Environment Clearance has been granted by SEIAA, Punjab vide No. DECC/SEIAA/2020/3286 dated 05.11.2020; copy of the same is attached along as Annexure 1.
4.	Location	PSIEC Industrial Focal Point, Chanalon (Kurali)
a)	District(s)	S.A.S Nagar (Mohali)
b)	State (s)	Punjab
5.	Address for correspondence	M/s Bantech Water Pvt. Ltd. (Formerly known as Bansal Enviro Tech Pvt. Ltd.) Plot No. 24, Phase - 1, Industrial Area Chandigarh, India – 160002 Certificate of Incorporation of name change is enclosed Annexure 2.
6.	Salient features	
a)	Of the Project	As per the EC letter, the plot area of the project is 4052.60 sq.m. The project involves the establishment of CETP plant of capacity 600 KLD in 2 modules of 300 KLD each.
b)	Of the environment	The total fresh water requirement for domestic purpose during operational phase will be 2.5 KLD which will be met from PSIEC water works. Total domestic wastewater generated will be 2 KLD which will be treated in already installed STP of PSIEC in industrial focal point. Treated effluent generated from CETP will be 450 KLD which will be given to PSIEC for utilization in Industries of Focal Point and for the horticulture requirement/ green area. Total solid waste generated during construction and operation will be 8 kg/day which will be segregated and managed as per the Solid waste management rules, 2016. Solid waste will be disposed of to the designated site of PSIEC.

		CETP sludge of quantity 3000kg/day will be handed over to Nimbua Greenfield (Punjab) Pvt. Ltd. Hazardous Waste Management Facility. Spent/used oil generated of approx. 1000 lt./annum will be sold to approved recyclers. The total electricity load required will be 150 KW which will be taken from PSPCL.1 DG set of capacity 200 kVA will be used for backup and continuous operation in case of power failure.
7.	Breakup of the Project Area	--
a)	Submergence area	Not applicable
8.	Break up of project affected population with enumeration of those losing houses/ dwelling units only, agricultural land only both dwelling units and agricultural land and landless laborers/ land landless laborers/ artisans.	Not applicable
a)	SC/ST/ Adivasis	Not applicable
b)	Others (Please indicate whether these figures are base on any scientific and systematic survey carried out or only provisional figures. if a survey has been carried out give details and year of survey)	Not applicable
9.	Financial details	
a)	Project cost as originally planned and subsequent revised estimates and the year of price reference.	Rs. 6.0 crores (Approx.)

b)	Allocations made for environmental management plan with item wise and year of assessment.	The break-up of total expenditure proposed on EMP is as below: During Construction Phase:		
		Particulars	Capital Rs. Lac	Recurring Cost Rs. Lac/annum
		Waste water management: CETP & its allied works	473.5	5.0
		Air & noise pollution management (Acoustics enclosure for DG set & APCD)	15.0	1.0
		Landscaping	1.5	1.0
		Rain Water Harvesting	1.5	0.5
		Environment Monitoring Cost	2.0	2.0
		Waste Management (Hazardous waste and its disposal)	1.5	0.5
		Miscellaneous (Appointment of Consultant & Management of Environment cell)	5.0	2.0
		Total	Rs. 500 Lakhs	Rs. 12 Lakhs

		During Operational Phase:																		
		<table><tr><th>Particulars</th><th>Recurring Cost Rs. Lac/annum</th></tr><tr><td>Waste water management: CETP & its allied works</td><td>60</td></tr><tr><td>Air & noise pollution management (Acoustics enclosure for DG set & APCD)</td><td>3</td></tr><tr><td>Landscaping</td><td>1.5</td></tr><tr><td>Rain Water Harvesting</td><td>0.5</td></tr><tr><td>Environment Monitoring Cost</td><td>2.5</td></tr><tr><td>Waste Management (Hazardous waste and its disposal)</td><td>6</td></tr><tr><td>Miscellaneous (Appointment of Consultant & Management of Environment cell)</td><td>2</td></tr><tr><td>Total</td><td>Rs. 75.5 Lakhs</td></tr></table>	Particulars	Recurring Cost Rs. Lac/annum	Waste water management: CETP & its allied works	60	Air & noise pollution management (Acoustics enclosure for DG set & APCD)	3	Landscaping	1.5	Rain Water Harvesting	0.5	Environment Monitoring Cost	2.5	Waste Management (Hazardous waste and its disposal)	6	Miscellaneous (Appointment of Consultant & Management of Environment cell)	2	Total	Rs. 75.5 Lakhs
Particulars	Recurring Cost Rs. Lac/annum																			
Waste water management: CETP & its allied works	60																			
Air & noise pollution management (Acoustics enclosure for DG set & APCD)	3																			
Landscaping	1.5																			
Rain Water Harvesting	0.5																			
Environment Monitoring Cost	2.5																			
Waste Management (Hazardous waste and its disposal)	6																			
Miscellaneous (Appointment of Consultant & Management of Environment cell)	2																			
Total	Rs. 75.5 Lakhs																			
c)	Benefit cost ratio/ Internal rate of return and year of assessment.	Will be submitted separately.																		
d)	Whether (c) includes the cost of environmental management as shown in (b) above.	Yes the cost benefit ratio will be worked out considering the cost of environment management.																		
e)	Actual expenditure incurred on the project so far.	Rs. 1.66 Crores has been spent on the project till 30.09.2021																		
f)	Actual expenditure incurred on the environmental management plans so far.	The project is in construction phase. Rs. 1.50 lakhs has been spent on the environment management plan till 30.09.2021.																		
10.	Forest lands requirement:	Not applicable																		
a)	The status of approval for diversion of forest land for non forestry use.	Not applicable																		
b)	The status of clear felling.	Not applicable																		
c)	The status of compensatory a forestation programmer in the light of actual field experience so far.	Not applicable																		
11.	The status of clear felling in non	Not applicable																		

	forest areas (such as submergence area of reservoir, approach road) if any, with quantitative information.	
12.	Status of construction	Civil construction almost completed, electromechanical installation has been initiated. Photographs showing the same are enclosed as Annexure 3.
a)	Date of commencement (actual and/ or planned).	15 th March 2021 (actual)
b)	Date of completion (actual and/ or planned).	Project is in construction phase and is planned to be completed by 31 st January 2022.
13.	Reasons for the delay if the project is yet to start:	Not applicable.

Compliance Report on the conditions imposed on Environmental Clearance for the period ending 30.09.2021

Statutory Compliance:

S. No.	Conditions	Reply
1.	The project proponent shall obtain forest clearance under the provisions of the Forest (Conservation) Act, 1986, in case of the diversion of forest land for non- forest purpose involved in the project	Not applicable, as no forest land/ diversion of forest land is involved.
2.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	The project lies outside the eco-sensitive zone of any Sanctuary. Thus, NBWL clearance is not required for the said project.
3.	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six- monthly compliance report, (in case of the presence of schedule-I species in the study area)	Not applicable, in view of above point.
4.	The project proponent shall obtain Consent to Establish/ Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981, and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned Punjab Pollution Control Board.	Agreed. Consent to Operate has been obtained vide Certificate No. CTOW/Renewal/SAS/2024/25769213 CTOA/Renewal/SAS/2024/25769321 dated 13.06.2024 and both are valid up to 30.06.2028 Copy of CTOW & CTOA are enclosed as Annexure 4.
5.	The project proponent shall obtain the necessary permission from the Central Ground Water Authority/competent authority concerned, in case of drawl of ground water and also in case of drawl of surface water required for the project.	The drinking water requirements of the workers in CETP facilities will be met through PSIEC water works and no ground water will be used. Copy of permission letter obtained from PSIEC is enclosed as Annexure 5.
6.	The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.	Agreed and Complied as Annexure 4.
7.	The project proponent shall comply with the siting criteria, standard operating practices,	Agreed and accepted.

	code of practice and guidelines if any prescribed by the SPCB/CPCB/MoEF&CC for such type of units.	
8.	The project proponent shall comply with the CLU conditions imposed by competent authority, if any.	Agreed. Imposed CLU conditions will be complied.
9.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Agreed. The power requirement will be met from PSPCL. Copy of NOC for power load from PSPCL is enclosed as Annexure 6 .
10.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, etc. shall be obtained, as applicable by project proponents from the respective competent authorities.	Agreed. All applicable permissions will be obtained from respective authority in due course of time. Further, building plan approval has been obtained vide file/B.A. No. PB/SAS/ KURAL/94159 dated 01.09.2021 and also Fire NOC, Both Copies of the same is enclosed as Annexure 7 .

Air Quality Monitoring and Preservation:

S. No.	Conditions	Reply
1.	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Diesel generating sets shall be installed, in the downwind directions.	Adequate stack height as well as acoustic enclosure will be provided to DG sets as per PPCB norms.
2.	Appropriate Air Pollution Control (APC) system shall be provided for fugitive dust from all vulnerable sources, so as to comply prescribed standards.	If required air pollution control system will be provided with MEE boiler.
3.	The project proponent shall provide covered sheds for raw materials.	Not applicable.

Water Quality Monitoring and Preservation:

S. No.	Conditions	Reply
	The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	Agreed. It will be complied.
2..	Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water.	Agreed. Total fresh water requirement will not exceed the proposed value. Total domestic water required during operational phase will be 2.5 KLD which will be met through PSIEC water works. Copy of permission letter obtained from PSIEC is enclosed as Annexure 5 .
3..	There shall be flow meters at inlet and outlet of CETP to monitor the flow. Suitable meters shall be provided to measure the quantity of effluent received, quantity of effluent recycled/reused and discharged.	Agreed. Flow meters will be provided at inlet and outlet of CETP to monitor the flow.
4.	The units and the CETP will maintain daily log book of the quantity and quality of discharge from the units, quantity of inflow into the CETP, details of the treatment at each stage of the CETP including the raw materials used, quantity of the treated water proposed to be recycled, reused within the Industrial park/units, quantity of the treated effluent discharged. All the above information shall be provided on-line of the web site exclusively prepared for the purpose by the CETP owner. The website shall be accessible by the public. The financial and energy details of the CETP will also be provided along with details of the workers of the CETP.	Agreed. Daily log books having details of quantity and quality of discharge from the units, quantity of inflow into the CETP, quantity of treated water proposed and quantity of treated effluent discharged will be maintained during operational phase. The same will be provided on-line on the website which will be accessible by the public.

5.	The CETP operator will maintain an annual register of member units which will contain the details of products with installed capacities and quality and quantity of effluents accepted for discharge. This will form a part of the initial and renewal applications for consent to operate to be made before the State Pollution Control Board.	Agreed. It will be complied.
6.	No changes in installed capacity, quality or quantity of effluents as agreed upon in the initial MOU between the operator and the member units, addition of any new member units shall be carried without prior approval of the ministry.	Agreed.
7.	The Unit shall inform the State Pollution Control Board at least a week prior to undertaking maintenance activities in the recycle system and store/dispose treated effluents under their advice in the matter.	Agreed. It will be complied.
8.	The unit shall also immediately inform the Pollution Control Board of any breakdown in the recycling system, store the effluents in the interim period and dispose effluents only as advised by the Pollution Control Board.	Agreed. Immediate information will be given to Pollution Control Board of any breakdown in the recycling system. The effluent will be stored in the interim period and will be disposed only as per the advice of the Pollution Control Board.
9.	The MoU between CETP and member units shall indicate the maximum quantity of effluent to be sent to the CETP along with the quality.	Agreed. MoU between CETP and member unit will be made indicating the maximum quantity of effluent to be sent to the CETP along with the quality.

10.	The unit shall maintain a robust system of conveyance for primary treated effluents from the member units and constantly monitor the influent quality to the CETP. The Management of the CETP and the individual member 'shall be jointly and severally responsible for conveyance and pre-treatment of effluents. Only those units will be authorized to send their effluents to the CETP which have a valid consent of the Pollution Control Board and which meet the primary treated standards as prescribed. The CETP operator shall with the consent of the State Pollution Control Board retain the powers to delink the defaulter unit from entering the conveyance system.	Agreed. It will be complied.
11.	The effluent from member units shall be transported through pipeline. In case the effluent is transported thorough road, it shall be transported through CETP tankers only duly maintaining proper manifest system. The vehicles shall be fitted with proper GPS system.	Agreed. The transport of effluent shall be done through CETP tankers. The effluent transportation vehicles will be equipped with GPS to track the movement of the vehicle.
12.	Before accepting any effluent from member units, the same shall be as permitted by the SPCB in the consent order. No effluent from any unit shall be accepted without consent from SPCB under the Water Act, 1974 as amended.	Agreed. It will be complied.
13.	Treated water shall be disposed on land for irrigation. An irrigation management plan shall be drawn up in consultation with and to the satisfaction of the State Pollution Control Board.	Agreed. Treated effluent generated from CETP will be given to PSIEC for utilization in Industries of Focal Point and for the horticulture requirement/ green area.
14.	The Project proponents will build operate and maintain the collection and conveyance system to transport effluents from the industrial units in consultation with and to the satisfaction of the State Pollution Control Board and ensure that the industrial units meet the primary effluent standards prescribed by the State Pollution Control Board.	Agreed. It will be complied.

15.	The State Pollution Control Board will also evaluate the treatment efficiency of the Effluent Treatment Plant (ETP) and its capability of meeting the prescribed standards. The final scheme of treatment would be such as is approved by the Pollution Control Board in the Consent to Establish.	Agreed.
16.	The project proponents will create an institutional arrangement for the involvement of individual members in the management of the CETP.	Agreed. Institutional arrangement will be created for the involvement of individual members in the management of the CETP.

Noise Monitoring and Prevention:

S. No.	Conditions	Reply
1.	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six- monthly compliance report.	Ambient noise levels will be monitored and maintained regularly during construction phase. During Construction phase test reports of noise monitoring is enclosed as Annexure 8.
2.	Noise from vehicles, power machinery and equipment on-site should not exceed the prescribed limit. Equipment should be regularly serviced. Attention should also be given to muffler maintenance and enclosure of noisy equipments.	Agreed. Ambient noise will not exceed the prescribed limit. In addition, only PUC certified vehicles will be allowed at site. Copy of PUC certificate of vehicles used at site is enclosed as Annexure 9.
3.	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	Agreed. Acoustic enclosure for DG set, ear plugs to construction labors will be provided.

Energy Conservation Measures:

S. No.	Conditions	Reply
1.	The project proponent shall provide solar power generation on rooftops of buildings, solar light system for all common areas, street lights; parking around project area and maintain the same regularly.	Agreed. Various energy conservation measures like energy efficient pumps and motors, flame proof cables, IE3 motor, LED bulbs and solar lights will be provided.
2.	The project proponent shall provide the LED lights in their offices.	Agreed. LED lights will be provided.

Waste Management:

S. No.	Conditions	Reply
1.	ETP sludge generated from CETP facility shall be handled and disposed to nearby authorized TSDF site as per Hazardous and Other Waste Management Rules, 2016.	Agreed. ETP sludge generated from CETP will be handed over to Nimbua Greenfield (Punjab) Pvt. Ltd. Hazardous Waste Management Facility for disposal.
2.	Non Hazardous solid wastes and sludge arising out of the operation of the CETP shall be adequately disposed as per the Consent to be availed from the State Pollution Control Board. Non Hazardous solid wastes and sludge shall not be mixed with Hazardous wastes.	Agreed. Non-Hazardous solid waste will not be mixed with Hazardous wastes and will be disposed as per the applicable guidelines.
3.	The CETP shall have adequate power back up facility, to meet the energy requirement in case of power failure from the grid.	Agreed. 1 DG set of capacity 200 kVA will be used for backup and continuous operation in case of power failure.
4.	The site for aerobic composting shall be selected and developed in consultation with and to the satisfaction of the State Pollution Control Board. Odour and insect nuisance shall be adequately controlled.	Not applicable.
5.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.	The construction waste will be managed as per Construction and Demolition Rules, 2016.
6.	The solid wastes shall be segregated, managed and disposed as per the norms of the Solid Waste Management Rules, 2016.	Solid waste generated during construction and operation will be segregated and managed as per the Solid waste management rules, 2016. Solid waste will be disposed of to the designated site of PSIEC.

Green Belt:

S. No.	Conditions	Reply
1.	Green belt shall be developed in an area 1383 sqm (33 %) of the plant area with tree species in accordance with SEIAA guidelines. Total 620 trees to be planted without accounting the shrubs shrubs and protect the same with tree guard made of concrete. The greenbelt shall inter alia cover the entire periphery of the plant.	Agreed. Green Belt will be developed in an area of 1383 sq.m. (33%).

Public Hearing and Human Health Issues:

S. No.	Conditions	Reply
1.	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	All the provisions for risk management will be implemented in the project.
2.	The project proponent shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	Agreed. PPE kit containing safety shoes, gloves, helmet etc. will be provided to the workers.
3.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	No labour housing will be there within the project. Facilities like rest shelters, mobile toilet and drinking water has been provided to construction labours within the premises.
4.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Agreed. Regular health check-up of the workers will be done on regular basis, Medical Bills are attached of all the Employees.
5.	The project proponent shall carry out the activities apart from CER activities and spent an amount as commuted during the public hearing as per the public hearing action plan.	Public Hearing was exempted as the project is located at PSIEC Industrial Focal Point Chanalon, Punjab. CER activities will be undertaken as proposed at the time of environment clearance.

Corporate Environment Responsibility:

S. No.	Conditions	Reply
1.	The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project	Agreed. The said amount will be spent on the CSR activities as committed.
	proponent shall adhere to the commitments made in the proposal for CER activities and spend atleast minimum amount of Rs. 12 Lacs towards CER activities. The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project	

	execution. All the activities must be completed with the completion of the project.																
	<table><tr><th rowspan="2">Sr. No..</th><th rowspan="2">Activities</th><th rowspan="2">Cost (Rs. Lacs)</th><th colspan="2">Timeline</th></tr><tr><th>Start Date</th><th>End Date</th></tr><tr><td>1.</td><td>Adoption of Govt. High School, village Singhpura, to improve its education quality and infrastructure by providing: (i) Library, furniture, computer, books (Rs. 4 Lakhs) (ii) Washroom construction (Rs. 2 Lakhs) (iii) Badminton court construction (Rs. 3 Lakhs) (iv) Boundary wall repair and painting (Rs. 2 Lakhs) (v) Providing water cooler for drinking water (Rs. 1 Lakhs)</td><td>12 Lakhs</td><td>After grant of EC</td><td>2 years</td></tr></table>				Sr. No..	Activities	Cost (Rs. Lacs)	Timeline		Start Date	End Date	1.	Adoption of Govt. High School, village Singhpura, to improve its education quality and infrastructure by providing: (i) Library, furniture, computer, books (Rs. 4 Lakhs) (ii) Washroom construction (Rs. 2 Lakhs) (iii) Badminton court construction (Rs. 3 Lakhs) (iv) Boundary wall repair and painting (Rs. 2 Lakhs) (v) Providing water cooler for drinking water (Rs. 1 Lakhs)	12 Lakhs	After grant of EC	2 years	
Sr. No..	Activities	Cost (Rs. Lacs)	Timeline														
			Start Date	End Date													
1.	Adoption of Govt. High School, village Singhpura, to improve its education quality and infrastructure by providing: (i) Library, furniture, computer, books (Rs. 4 Lakhs) (ii) Washroom construction (Rs. 2 Lakhs) (iii) Badminton court construction (Rs. 3 Lakhs) (iv) Boundary wall repair and painting (Rs. 2 Lakhs) (v) Providing water cooler for drinking water (Rs. 1 Lakhs)	12 Lakhs	After grant of EC	2 years													
2.	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/conditions. The company shall have			Noted. Presently, Mr. Amandeep Goyal (Director) is looking after the environment related issue. Separate EMC will be constituted after the hiring of environment officers to coordinate activities concerned with the management and implementation of environmental control measures.													

	defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions to all / or shareholder's / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	
3.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.	Agreed. Presently, Mr. Amandeep Goyal (Director) is looking after the environment related issue. Further, Environmental Cell both at the project and company head quarter level will be constituted after the hiring of environment officers to coordinate activities concerned with the management and implementation of environmental control measures.
4.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The Year-wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spend minimum amount of Rs 500 Lacs towards the capital cost and Rs 12 Lacs/annum towards recurring cost including the Environmental monitoring cost during the construction phase and Rs. 75.5 lacs per annum towards recurring cost including the monitoring cost during the operation phase for the implementation of EMP as proposed in the EMP plan. Year-wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-monthly Compliance Report.	Agreed. The amount will be spent accordingly as mentioned in the submitted application.
5.	Self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.	Agreed. It will be complied.

Validity:

S. No.	Conditions	Reply
1.	This environmental clearance will be valid for a period of seven years from the date of its issue or till the completion of the project, whichever is earlier.	Agreed.

Miscellaneous:

S. No.	Conditions	Reply
1.	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition, this shall also be displayed in the project proponent's website permanently.	Agreed. Advertisement has been published in the newspaper. Copy of the advertisements published in the newspaper is attached along as Annexure 10 . Further, the EC has been uploaded in the website of the company. Screenshot showing the same is enclosed as Annexure-11 .
2.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Agreed.
3.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Agreed. EC letter, and test reports have been uploaded on the official website. Records of the same are also being maintained at the construction site. The screenshot of the same is enclosed as Annexure 11 .
4.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the Ministry of Environment, Forest and Climate Change at environment clearance portal.	Agreed. Six monthly compliance reports in respect of the stipulated environmental clearance terms & conditions including results of monitored data are being submitted. Acknowledgement of previously submitted six monthly compliance report for period ending 31.03.2021 is attached along as Annexure 12 .
5.	The project proponent shall submit the environmental statement for each financial	Agreed. It will be complied.

	year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	
6.	The criteria pollutant levels or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Monitoring will be done every six months. Recent monitoring has been carried out and all the parameters are within the permissible limits. Test Reports for recent monitoring report is attached along as Annexure 8 . Further, it will also be displayed near the main gate.
7.	The project proponent shall inform the Regional Office of the Ministry and PPCB, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Agreed.
8.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Agreed. Stipulations made by the State Pollution Control Board and the State Government will be strictly followed.
9.	The project proponent shall abide by all the commitments and recommendations made in the EIA /EMP report, commitment made during Public Hearing and also that during their presentation to the State Expert Appraisal Committee and SEIAA.	EMP report submitted in the application will be adhered.
10.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Agreed. We will get done the needful revision in EC letter to include new company name and other minor changes.
11.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed.
12.	The SEIAA/Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Agreed.
13.	The SEIAA/ Ministry reserves the right to stipulate additional conditions if found	Agreed.

	necessary. The Company in a time-bound manner shall implement these conditions.	
14.	The Regional Office of this Ministry and Punjab Pollution Control Board shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office and PPCB by furnishing the requisite data / information/monitoring reports.	Agreed. Full cooperation will be extended to the officer of the Regional Office by furnishing the requisite data / information/ monitoring reports.
15.	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Agreed.
16.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Agreed.

Additional Conditions:

S. No.	Conditions	Reply
1.	The project proponent will not provide rain water harvesting within the project premises.	Agreed. Rain water harvesting system will not be provided within the project premises. Only 1 rain water harvesting tank will be constructed within the project premises for storing of roof top runoff from the administrative block.
2.	The project proponent shall track the transporting vehicle used for the treated waste water with the GPS technology.	Agreed. The tankers will be fitted with GPS tracking nodes and the vehicle movements and schedules, will be constantly monitored.
3.	The Project proponent shall install the online continuous monitoring system at the inlet/	Agreed.

	outlet of the industry.	
4.	The project proponent shall impose a condition in the agreement made with the member industry that industry shall install a sensor system in the untreated water collection tank connect the same with the online system for displaying the water level of the tank.	Agreed. It will be complied.
5.	The project proponent shall dispose of the entire treated wastewater through the PSIEC pipeline laid in the Focal Point area to utilize the same back into the industrial process and green areas.	Agreed. Treated effluent generated from CETP will be given to PSIEC for utilization in Industries of Focal Point and for the horticulture requirement/ green area.
6.	The project proponent shall obtain the 'No Objection Certificate' (NOC) from PSIEC regarding the connectivity of the outlet of the treated wastewater of the CETP with the treated wastewater pipeline laid in the Focal Point area, within two months, from the date of issuance of environmental clearance and submit the same to SEIAA.	Intent letter from Mohali industries Association (MIA) has been obtained regarding supply of treated water to any member industrial unit of MIA only after grant of NOC to respective industrial unit and Bansal Envirotech from PPCB/ other concerned department. Copy of intent letter is enclosed as Annexure 13 . Further, NOC from PSIEC regarding connectivity of the outlet of the treated wastewater of the CETP with the treated wastewater pipeline laid in the Focal Point area is in process which will be submitted later.

 सत्यमेव जयते	Item No. 173.15 STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY PUNJAB Ministry of Environment, Forest & Climate Change, Government of India O/o Directorate of Environment & Climate Change MGSIPA Complex, Sector 26, Chandigarh-160019 seiaapb2017@gmail.com
	No. DECC/SEIAA/2020/3286 To

Registered/E-mail

Date: 05/11/2020

Sh. Siddharth Bansal
 M/s Bansal Envirotech Pvt. Ltd.,
 Plot No. 57, Phase I, Industrial Area,
 Chandigarh-160030
 Mobile No.: +91-79866 52388

Subject: Environmental Clearance under EIA notification dated 14.09.2006 for establishment of 600 KLD common Effluent Treatment Plant (CETP) located at PSIEC Industrial Focal Point, Chanalon (Kuruli), Distt SAS Nagar (Mohali) Punjab by M/s Bansal EnviroTech Pvt. Ltd. (SIA/PB/MIS/ 50730/2020)

This is in reference to your online Proposal No. SIA/PB/MIS/50730/2020 for obtaining Environmental Clearance under the EIA notification dated 14.09.2006 for establishment of 600 KLD Common Effluent Treatment Plant (CETP) located at PSIEC Industrial Focal Point, Chanalon (Kuruli), Distt. SAS Nagar (Mohali), Punjab by M/s Bansal EnviroTech Pvt. Ltd. The proposal has been appraised as per procedure prescribed under the provisions of EIA Notification dated 14.09.2006 on the basis of the mandatory documents enclosed with the application viz., Form-2, EIA Report and the additional clarifications furnished in response to the observations of the SEAC. The salient features of the project are as under: -

Sr. No.	Item	Details		
1)	Name & Location of the project	M/s Bansal EnviroTech Pvt. Ltd. Plot No. 57, Phase I, Industrial Area, Chandigarh.		
	Nature of project	Fresh		
	Activity	7(h), "Common Effluent Treatment Plant"		
	Category as per EIA Notification, 2006	Category B1		
2)	Total Cost of the project	Rs. 6 Crores (Approx.)		
3)	Latitude & Longitude	Corner	Latitude	Longitude
		Corner A	30.812952°N	76.579903°E
		Corner B	30.813358°N	76.579896°E

		Corner C	30.813309°N	76.580901°E																																								
		Corner D	30.812952°N	76.580904°E																																								
4)	Total Plot Area, Built-up Area, and Green area	<table><tr><th>S. No.</th><th>Land use details</th><th>Area (in sqm.)</th><th>% w.r.t. total area</th></tr><tr><td>1.</td><td>Chemical storage area</td><td>50</td><td>1.2</td></tr><tr><td>2.</td><td>Fuel storage area</td><td>37.52</td><td>0.92</td></tr><tr><td>3.</td><td>DG set area</td><td>45</td><td>1.11</td></tr><tr><td>4.</td><td>Parking Area for tankers</td><td>321.46</td><td>7.93</td></tr><tr><td>5.</td><td>Parking area for car</td><td>72.1</td><td>1.77</td></tr><tr><td>6.</td><td>Hazardous sludge room</td><td>51</td><td>1.25</td></tr><tr><td>7.</td><td>Green area</td><td>1382.39</td><td>34.11</td></tr><tr><td>8.</td><td>ETP-UF-RO and Evaporator complete with all allied works</td><td>2093.13</td><td>51.64</td></tr><tr><td colspan="2">Total Area</td><td>4,052.60</td><td>100</td></tr></table>			S. No.	Land use details	Area (in sqm.)	% w.r.t. total area	1.	Chemical storage area	50	1.2	2.	Fuel storage area	37.52	0.92	3.	DG set area	45	1.11	4.	Parking Area for tankers	321.46	7.93	5.	Parking area for car	72.1	1.77	6.	Hazardous sludge room	51	1.25	7.	Green area	1382.39	34.11	8.	ETP-UF-RO and Evaporator complete with all allied works	2093.13	51.64	Total Area		4,052.60	100
S. No.	Land use details	Area (in sqm.)	% w.r.t. total area																																									
1.	Chemical storage area	50	1.2																																									
2.	Fuel storage area	37.52	0.92																																									
3.	DG set area	45	1.11																																									
4.	Parking Area for tankers	321.46	7.93																																									
5.	Parking area for car	72.1	1.77																																									
6.	Hazardous sludge room	51	1.25																																									
7.	Green area	1382.39	34.11																																									
8.	ETP-UF-RO and Evaporator complete with all allied works	2093.13	51.64																																									
Total Area		4,052.60	100																																									
5)	Raw Material	<table><tr><th>Sr. No.</th><th>Name of Raw Materials</th><th>Quantity (kg/ Day)</th></tr><tr><td>1.</td><td>Acid/ Alkali for Equalization Tank</td><td>100</td></tr><tr><td>2.</td><td>Lime/ Caustic</td><td>200</td></tr><tr><td>3.</td><td>Alum/ PAC</td><td>150</td></tr><tr><td>4.</td><td>Poly</td><td>5</td></tr><tr><td>5.</td><td>SMBS</td><td>10</td></tr><tr><td>6.</td><td>Antiscalent</td><td>10</td></tr><tr><td>7.</td><td>Hypochloride for Membrane Cleaning</td><td>10</td></tr><tr><td>8.</td><td>Hydro Chloric Acid for Membrane Cleaning</td><td>15</td></tr><tr><td>9.</td><td>RO cleaning Chemicals</td><td>5</td></tr></table>			Sr. No.	Name of Raw Materials	Quantity (kg/ Day)	1.	Acid/ Alkali for Equalization Tank	100	2.	Lime/ Caustic	200	3.	Alum/ PAC	150	4.	Poly	5	5.	SMBS	10	6.	Antiscalent	10	7.	Hypochloride for Membrane Cleaning	10	8.	Hydro Chloric Acid for Membrane Cleaning	15	9.	RO cleaning Chemicals	5										
Sr. No.	Name of Raw Materials	Quantity (kg/ Day)																																										
1.	Acid/ Alkali for Equalization Tank	100																																										
2.	Lime/ Caustic	200																																										
3.	Alum/ PAC	150																																										
4.	Poly	5																																										
5.	SMBS	10																																										
6.	Antiscalent	10																																										
7.	Hypochloride for Membrane Cleaning	10																																										
8.	Hydro Chloric Acid for Membrane Cleaning	15																																										
9.	RO cleaning Chemicals	5																																										
6)	Manpower (when fully operational)	45 persons, out of which, 5 persons will be reside within the site and remaining will be floating including drivers.																																										
7)	Water Requirement & source during operation phase	<table><tr><th>Break up of water requirement</th><th>Source</th></tr><tr><td>Fresh Water: 2.5 KLD</td><td>PSIEC water works</td></tr></table>			Break up of water requirement	Source	Fresh Water: 2.5 KLD	PSIEC water works																																				
Break up of water requirement	Source																																											
Fresh Water: 2.5 KLD	PSIEC water works																																											
8)	Disposal Arrangement of	<table><tr><th>Details</th><th>Quantity</th><th>Disposal method</th></tr></table>			Details	Quantity	Disposal method																																					
Details	Quantity	Disposal method																																										

	treated water	waste	Industrial Effluent	450 KLD	It will be given to PSIEC for the utilization in industries of Focal Point, Chanalon and to the green area
			Domestic effluent	2 KLD	It will be treated in already installed STP of PSIEC in Industrial Focal Point, Chanalon.
9)	Solid waste generation and its disposal		Minimal quantities of MSW will be generated from the project during construction and operation (approx. 8 kg/day) which will be segregated and managed as per the Solid Waste Management Rules, 2016. Solid waste will be disposed of to designated site of PSIEC.		
10)	Hazardous Waste & E-Waste		(i) Spent/used oil (Cat. 5.1) of quantity 100 litre/annum will be sold to approved recyclers. (ii) ETP Sludge (Cat. 35.3) of quantity 3000 kg/day will be Handed over to Nimbua Greenfield (Punjab) Pvt. Ltd. Hazardous Waste Management Facility. (iii) 3. Minimal amount of E-waste will be generated from the project which will be managed as per E-Waste (Management) Amendment Rules, 2018.		
11)	Energy Requirements & Saving		(i) 150 KW Power Load from Punjab State Power Corporation Limited (PSPCL). (ii) 1 DG set of capacity 200 KVA each. (iii) Energy Saving measures: Various measures will be provided for energy conservation like energy efficient pumps and motors, flame proof cables, IE3 motor, LED bulbs and solar lights will also be provided.		

The case was considered by the SEAC in its 194th meeting held on 23.10.2020 wherein, the Committee observed that the project proponent has provided adequate and satisfactory clarifications to the observations raised by it. Therefore, the Committee awarded 'Silver Grading' to the project proposal and decided to forward the case to the SEIAA with the recommendation to grant environmental clearance to the project proponent under EIA notification dated 14.09.2006 for establishment of the project subject to certain conditions in addition to the proposed measures.

Thereafter, the case was considered by the SEIAA in its 173rd meeting held on 30.10.2020. The SEIAA observed that the case stands recommended by SEAC and the Committee awarded 'Silver Grading' to the project proposal. The Authority looked into all the aspects of the project proposal in detail and was satisfied with the same.

Therefore, the Authority decided to accept the recommendations of SEAC and grant Environmental Clearance for the establishment of the "600 KLD Common Effluent Treatment Plant (CETP)" on total land area of 4,046.85 sqm located at PSIEC Industrial Focal Point, Chanalon (Kuruli), Distt. SAS Nagar (Mohali), Punjab as per the details

mentioned in the Form 1, 1A, EMP & subsequent presentation /clarifications made by the project proponent and his consultant with, proposed measures and with the conditions as recommended by SEAC & certain amendments therein & agreed by the Project Proponent.

Accordingly, SEIAA, Punjab hereby accords Environmental Clearance for the above project under the provisions of EIA Notification dated 14.09.2006 and its subsequent amendments, subject to proposed measures and strict compliance of terms and conditions as follows:

I. Statutory compliance:

- i. The project proponent shall obtain forest clearance under the provisions of the Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of schedule-I species in the study area)
- iv. The project proponent shall obtain Consent to Establish/ Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981, and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned Punjab Pollution Control Board.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority/competent authority concerned, in case of drawl of ground water and also in case of drawl of surface water required for the project.
- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
- vii. The project proponent shall comply with the siting criteria, standard operating practices, code of practice and guidelines if any prescribed by the SPCB/CPCB/MoEF&CC for such type of units.
- viii. The project proponent shall comply with the CLU conditions imposed by competent authority, if any.

- ix. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- x. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, etc. shall be obtained, as applicable by project proponents from the respective competent authorities.

II. Air quality monitoring and preservation

- i. The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Diesel generating sets shall be installed, in the downwind directions.
- ii. Appropriate Air Pollution Control (APC) system shall be provided for fugitive dust from all vulnerable sources, so as to comply prescribed standards.
- iii. The project proponent shall provide covered sheds for raw materials.

III. Water quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water.
- iii. There shall be flow meters at inlet and outlet of CETP to monitor the flow. Suitable meters shall be provided to measure the quantity of effluent received, quantity of effluent recycled/reused and discharged.
- iv. The units and the CETP will maintain daily log book of the quantity and quality of discharge from the units, quantity of inflow into the CETP, details of the treatment at each stage of the CETP including the raw materials used, quantity of the treated water proposed to be recycled, reused within the Industrial park/units, quantity of the treated effluent discharged. All the above information shall be provided on- line of the web site exclusively prepared for the purpose by the CETP owner. The website shall be accessible by the public. The financial and energy details of the CETP will also be provided along with details of the workers of the CETP.
- v. The CETP operator will maintain an annual register of member units which will contain the details of products with installed capacities and quality and quantity of effluents accepted for discharge. This will form a part of the initial and renewal

- applications for consent to operate to be made before the State Pollution Control Board.
- vi. No changes in installed capacity, quality or quantity of effluents as agreed upon in the initial MOU between the operator and the member units, addition of any new member units shall be carried without prior approval of the ministry.
 - vii. The Unit shall inform the State Pollution Control Board at least a week prior to undertaking maintenance activities in the recycle system and store/dispose treated effluents under their advice in the matter.
 - viii. The unit shall also immediately inform the Pollution Control Board of any breakdown in the recycling system, store the effluents in the interim period and dispose effluents only as advised by the Pollution Control Board.
 - ix. The MoU between CETP and member units shall indicate the maximum quantity of effluent to be sent to the CETP along with the quality.
 - x. The unit shall maintain a robust system of conveyance for primary treated effluents from the member units and constantly monitor the influent quality to the CETP. The Management of the CETP and the individual member shall be jointly and severally responsible for conveyance and pre-treatment of effluents. Only those units will be authorized to send their effluents to the CETP which have a valid consent of the Pollution Control Board and which meet the primary treated standards as prescribed. The CETP operator shall with the consent of the State Pollution Control Board retain the powers to delink the defaulter unit from entering the conveyance system.
 - xi. The effluent from member units shall be transported through pipeline. In case the effluent is transported thorough road, it shall be transported through CETP tankers only duly maintaining proper manifest system. The vehicles shall be fitted with proper GPS system.
 - xii. Before accepting any effluent from member units, the same shall be as permitted by the SPCB in the consent order. No effluent from any unit shall be accepted without consent from SPCB under the Water Act, 1974 as amended.
 - xiii. Treated water shall be disposed on land for irrigation. An irrigation management plan shall be drawn up in consultation with and to the satisfaction of the State Pollution Control Board.
 - xiv. The Project proponents will build operate and maintain the collection and conveyance system to transport effluents from the industrial units in consultation with and to the satisfaction of the State Pollution Control Board and ensure that the industrial units meet the primary effluent standards prescribed by the State Pollution Control Board.
 - xv. The State Pollution Control Board will also evaluate the treatment efficiency of the Effluent Treatment Plant (ETP) and its capability of meeting the prescribed standards. The final scheme of treatment would be such as is approved by the Pollution Control Board in the Consent to Establish.

- xvi. The project proponents will create an institutional arrangement for the involvement of individual members in the management of the CETP.

III. Noise monitoring and prevention

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. Noise from vehicles, power machinery and equipment on-site should not exceed the prescribed limit. Equipment should be regularly serviced. Attention should also be given to muffler maintenance and enclosure of noisy equipments.
- iii. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

IV. Energy Conservation measures

- i. The project proponent shall provide solar power generation on rooftops of buildings, solar light system for all common areas, street lights; parking around project area and maintain the same regularly.
- ii. The project proponent shall provide the for LED lights in their offices.

V. Waste management

- i. ETP sludge generated from CETP facility shall be handled and disposed to nearby authorized TSDF site as per Hazardous and Other Waste Management Rules, 2016.
- ii. Non Hazardous solid wastes and sludge arising out of the operation of the CETP shall be adequately disposed as per the Consent to be availed from the State Pollution Control Board. Non Hazardous solid wastes and sludge shall not be mixed with Hazardous wastes.
- iii. The CETP shall have adequate power back up facility, to meet the energy requirement in case of power failure from the grid.
- iv. The site for aerobic composting shall be selected and developed in consultation with and to the satisfaction of the State Pollution Control Board. Odour and insect nuisance shall be adequately controlled.
- v. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
- vi. The solid wastes shall be segregated, managed and disposed as per the norms of the Solid Waste Management Rules, 2016.

VI. Green Belt

- i. Green belt shall be developed in an area 1383 sqm (33 %) of the plant area with tree species in accordance with SEIAA guidelines. Total 620 trees to be planted without accounting the shrubs shrubs and protect the same with tree guard made of concrete. The greenbelt shall inter alia cover the entire periphery of the plant.

VII. Public hearing and Human health issues

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The project proponent shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- v. The project proponent shall carry out the activities apart from CER activities and spent an amount as commuted during the public hearing as per the public hearing action plan.

VIII. Corporate Environment Responsibility

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities and spend atleast minimum amount of Rs. 12 Lacs towards following CER activities:

Sr. No.	Activities	Cost (Rs. Lacs)	Timeline	
			Start Date	End date
1.	Adoption of Govt. High School, Village Singhapura, to improve its education quality and infrastructure by providing: (i) Library, furniture, computer, books (Rs. 4 Lakhs) (ii) Washroom construction (Rs. 2 Lakhs) (iii) Badminton court construction	12 Lakhs	After grant of EC	2 years

	(Rs. 3 Lakhs)			
	(iv) Boundary wall repair & painting (Rs. 2 Lakhs)			
	(v) Providing water coolers for drinking water (Rs. 1 Lakh)			
	Total	12 lakhs		

The amount to be spent on CER activities shall be proportionate to the amount spent on project & such activities shall run parallel to the project execution. All the activities must be completed with the completion of the project.

- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions to all / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The Year-wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. The project proponent shall spent minimum amount of Rs 500 Lacs towards the capital cost and Rs 12 Lacs/annum towards recurring cost including the Environmental monitoring cost during the construction phase and Rs. 75.5 lacs per annum towards recurring cost including the monitoring cost during the operation phase for the implementation of EMP as proposed in the EMP plan. Year-wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-monthly Compliance Report.
- v. Self-environmental audit shall be conducted annually. Every three years third-party environmental audit shall be carried out.

X. Validity

- i. This environmental clearance will be valid for a period of seven years from the date of its issue or till the completion of the project, whichever is earlier

XI. Miscellaneous

- i. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition, this shall also be displayed in the project proponent's website permanently.
- ii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- iv. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the Ministry of Environment, Forest and Climate Change at environment clearance portal.
- v. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- vi. The criteria pollutant levels or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- vii. The project proponent shall inform the Regional Office of the Ministry and PPCB, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- viii. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- ix. The project proponent shall abide by all the commitments and recommendations made in the EIA /EMP report, commitment made during Public Hearing and also that during their presentation to the State Expert Appraisal Committee and SEIAA.
- x. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).

- xi. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xii. The SEIAA/Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xiii. The SEIAA/ Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time-bound manner shall implement these conditions.
- xiv. The Regional Office of this Ministry and Punjab Pollution Control Board shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office and PPCB by furnishing the requisite data / information/monitoring reports.
- xv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xvi. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Additional Conditions: -

- i) The project proponent will not provide rain water harvesting within the project premises.
- ii) The project proponent shall track the transporting vehicle used for the treated waste water with the GPS technology.
- iii) The Project proponent shall install the online continuous monitoring system at the inlet/ outlet of the industry.
- iv) The project proponent shall impose a condition in the agreement made with the member industry that industry shall install a sensor system in the untreated water collection tank connect the same with the online system for displaying the water level of the tank.
- v) The project proponent shall dispose of the entire treated wastewater through the PSIEC pipeline laid in the Focal Point area to utilize the same back into the industrial process and green areas.
- vi) The project proponent shall obtain the 'No Objection Certificate' (NOC) from PSIEC regarding the connectivity of the outlet of the treated wastewater of the CETP with the treated wastewater pipeline laid in the Focal Point area, within two months, from the date of issuance of environmental clearance and submit the same to SEIAA.

Endst. No. 3287-3295

E-mail

 Member Secretary

Date 05/11/2020 

A copy of the above is forwarded to the following for information & further necessary action please.

1. The Secretary to Govt. of India, Ministry of Environment and Forest, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-office Complex, East Arjun Nagar, New Delhi.
3. The Chairman, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala.
4. The Chairman, Punjab State Power Corporation Ltd, the Mall, Patiala.
5. The Deputy Commissioner, SAS Nagar.
6. The Additional Principal Conservator of Forests (C), Ministry of Environment, Forests & Climate Change, Northern Regional Office, Bays No. 24-25, Sector- 31-A, Chandigarh.
7. The Chief Town Planner, Department of Town & Country Planning, 6th Floor, PUDA Bhawan, Phase-8, Mohali.
8. The Joint Director, Ministry of Environment and Forest, Northern Regional Office, Bays No.24-25, Sector-31-A, Chandigarh. The detail of the authorized Officer of the project proponent is as under:
 - a) Name of the applicant : Mr. Siddharth Bansal
 - b) Phone Number : +91-79866 52388
 - c) Email Id : sid@bansalenvirotech.com
9. Monitoring Cell, Ministry of Environment, Forests & Climate Change, Indira Paryavaran Bhawan, Jorbagh Road, New Delhi - 110003.

 Member Secretary 



सत्यमेव जयते

GOVERNMENT OF INDIA
MINISTRY OF CORPORATE AFFAIRS

Office of the Registrar of Companies

Certificate of Incorporation pursuant to change of name
[Pursuant to rule 29 of the Companies (Incorporation) Rules, 2014]

Corporate Identification Number (CIN):



Registrar of Companies

Mailing Address as per record available in Registrar of Companies office:



































PUNJAB POLLUTION CONTROL BOARD
Zonal Office-1, Vatavaran Bhawan, Nabha Road, Patiala – 147001
Website:- www.ppcb.gov.in



Office Dispatch No :

Registered/Speed Post

Date:

Industry Registration ID: R20SAS479994

Application No : 25769213

To,
Amandeep Goyal
Industrial Focal Point, Chanalon, Kurali, Sas Nagar
Sas Nagar, Sas Nagar-140103

Subject: Renewal of consent to operate granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974

1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry


Consent to Operate Certificate No.	CTOW/Renewal/SAS/2024/25769213
Date of issue :	13/06/2024
Date of expiry :	30/06/2028
Certificate Type :	Renewal
Previous CTO No. & Validity :	CTOW/Fresh/SAS/2024/24891942 From:28/02/2024 To:31/08/2024

2. Particulars of the Industry

Name & Designation of the Applicant	Amandeep Goyal, (Auth Sign)
Address of Industrial premises	Common Effluent Treatment Plant, Industrial Focal Point Chanalon , Kharar, Sas Nagar-140103
Capital Investment of the Industry	600.0 lakhs
Category of Industry	Red
Type of Industry	1078-Common treatment and disposal facilities-CETP for Red category Industries
Scale of the Industry	Medium
Office District	Sas Nagar

All the term and conditions same as mentioned in the consent no. CTOW/Fresh/SAS/2024/24891942 dated 28/2/2024 (valid upto 31/8/2024), is hereby further extended upto 30/6/2028. This extension letter may be appended with the original consent letter issued to the facility and subsequent extension letters and additional conditions that:

- 1) The CETP operator shall ensure that the lifting of spent acid from pickling industries shall not be more than the 20% of the total effluent lifting on daily basis i.e. maximum of 60 KLD spent acid and 240 KLD of other electroplating effluent.
- 2) The CETP Operator shall deposit the balance Environmental Compensation of Rs. 3.02 lacs in the O/o Environmental Engineer, Punjab Pollution Control Board, Regional Office, SAS Nagar in 3 monthly installments.
- 3) The CETP operator shall connect the CCTV cameras and the OCEMS with the server of the Board within 15-days.
- 4) The CETP operator shall maintain the record of receiving effluent as well as treated effluent on daily basis. The industry shall ensure to submit the record of the same before 5th of every month in this office.
- 5) The CETP operator shall make an automated online mechanism to monitor the quality and quantity of effluent through SCADA-PLC and Auto Sampler Sensor and shall also install Night Vision CCTV Cameras and link it with the Website of the PPCB.
- 6) The new CETP Operator shall inform SEIAA regarding change in management/directors and shall get the Environmental Clearance transferred within one month and submit the same to the Board within 15-days.
- 7) The CETP operator shall only lift effluent from industries which have valid consent to operate under the Water (Prevention & Control of Pollution) Act, 1974 from the Board.
- 8) The CETP operator shall provide an alternative backup arrangement of adequate capacity to ensure to continuous uninterrupted operation of CETP.
- 9) The CETP Operator shall not create any stagnation of treated/untreated wastewater and around the premises.
- 10) The CETP Operator shall get sludge lifted lying stored at the premises on regular basis



13/06/2024

(Rajeev Gupta)
Environmental Engineer

For & on behalf

of


(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

- 1) Environmental Engineer, Punjab Pollution Control Board, Regional Office, SAS Nagar



13/06/2024

(Rajeev Gupta)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



Date:

Application No : 25769321

Subject: Renewal of consent to operate granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981

1. Particulars of Consent to Operate under Air Act, 1981 granted to the industry


Consent to Operate Certificate No.	CTOA/Renewal/SAS/2024/25769321
Date of issue :	13/06/2024
Date of expiry :	30/06/2028
Certificate Type :	Renewal
Previous CTO No. & Validity :	CTOA/Fresh/SAS/2024/24893275 From:28/02/2024 To:31/08/2024

2. Particulars of the Industry

Name & Designation of the Applicant	<i>Amandeep Goyal, (Auth Sign)</i>
Address of Industrial premises	<i>Common Effluent Treatment Plant, Industrial Focal Point Chanalon , Kharar,Sas Nagar-140103</i>
Capital Investment of the Industry	<i>600.0 lakhs</i>
Category of Industry	<i>Red</i>
Type of Industry	<i>1078-Common treatment and disposal facilities-CETP for Red category Industries</i>
Scale of the Industry	<i>Medium</i>
Office District	<i>Sas Nagar</i>

All the term and conditions same as mentioned in the consent no. CTOA/Fresh/SAS/2024/24893275 dated 28/2/2024 (valid upto 31/8/2024), is hereby further extended upto 30/6/2028. This extension letter may be appended with the original consent letter issued to the facility and subsequent extension letters and additional conditions that:

- 1) The CETP operator shall ensure that the lifting of spent acid from pickling industries shall not be more than the 20% of the total effluent lifting on daily basis i.e. maximum of 60 KLD spent acid and 240 KLD of other electroplating effluent.
- 2) The CETP Operator shall deposit the balance Environmental Compensation of Rs. 3.02 lacs in the O/o Environmental Engineer, Punjab Pollution Control Board, Regional Office, SAS Nagar in 3 monthly installments.
- 3) The CETP operator shall connect the CCTV cameras and the OCEMS with the server of the Board within 15-days.
- 4) The CETP operator shall maintain the record of receiving effluent as well as treated effluent on daily basis. The industry shall ensure to submit the record of the same before 5th of every month in this office.
- 5) The CETP operator shall make an automated online mechanism to monitor the quality and quantity of effluent through SCADA-PLC and Auto Sampler Sensor and shall also install Night Vision CCTV Cameras and link it with the Website of the PPCB.
- 6) The new CETP Operator shall inform SEIAA regarding change in management/directors and shall get the Environmental Clearance transferred within one month and submit the same to the Board within 15-days.
- 7) The CETP operator shall only lift effluent from industries which have valid consent to operate under the Water (Prevention & Control of Pollution) Act, 1974 from the Board.
- 8) The CETP operator shall provide an alternative backup arrangement of adequate capacity to ensure to continuous uninterrupted operation of CETP.
- 9) The CETP Operator shall not create any stagnation of treated/untreated wastewater and around the premises.
- 10) The CETP Operator shall get sludge lifted lying stored at the premises on regular basis.



13/06/2024

(Rajeev Gupta)
Environmental Engineer

For & on behalf

of


(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

- 1) Environmental Engineer, Punjab Pollution Control Board, Regional Office, SAS Nagar



13/06/2024

(Rajeev Gupta)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)





PUNJAB POLLUTION CONTROL BOARD

Zonal Office-1, Vatavaran Bhawan, Nabha Road, Patiala – 147001

Website:- www.ppcb.gov.in



LiFE
Lifestyle for
Environment

Office Dispatch No :

Registered/Speed Post

Date:

Industry Registration ID : R20SAS479994

Application No : 25772353

To,

Amandeep Goyal
Industrial Focal Point, Chanalon, Kurali, SAS Nagar
SAS Nagar, SAS Nagar-140103

Subject: Renewal of Authorization for operating a facility for Generation, Storage, Transportation, of Hazardous Wastes as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 .

1. Particulars of Authorization granted to the Industry

Authorization No	HWM/renew/SAS/2024/25772353
Previous Authorization No	HWM/Fresh/SAS/2022/18595782
Date of issue :	02/07/2022
Date of expiry :	30/06/2023
Previous Authorization Date of Issue :	04/07/2024
Previous Authorization Date of Expiry :	30/06/2029
Authorization Type :	renew


2. Particulars of the Industry

Name & Designation of the Applicant	Amandeep Goyal, (Auth Sign)
Address of Industrial premises	Common effluent treatment plant, Industrial focal point chanalon , Kharar, Sas nagar-140103
Capital Investment of the Industry	600.0 lakhs
Category of Industry	Red
Type of Industry	1078-Common treatment and disposal facilities-CETP for Red category Industries
Scale of the Industry	Medium
Office District	Sas nagar

3. Terms and Conditions

All the term and conditions same as mentioned in the authorization no. HWM/Fresh/SAS/2022/18595782 dated 2/7/2022 (valid upto 30/6/2023), is hereby extended upto 30/6/2029 for hazardous waste Category-5.1 @ 0.05 KL/Annum, Category-5.2 @ 0.05 T/Annum, Category-35.3 @ 365 T/Annum, Category-37.3 @ 547 T/Annum. This extension letter may be appended with the original authorization letter issued to the CETP Operator and subsequent extension letters and additional conditions that:

- 1) The CETP Operator shall maintain record of generation of hazardous waste in form -3 on regular basis.
- 2) The CETP Operator will apply for fresh authorization in case category-wise quantity of hazardous waste for which it has been authorized, exceeds.
- 3) The CETP Operator shall store its hazardous wastes generated from different manufacturing activities/otherwise, within its premises in an environmentally sound manner as per provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 4) The CETP Operator shall ensure regular lifting of hazardous waste and also ensure that the quantity of hazardous waste generated per year shall not be stored beyond 90 days (extendable upto 180 days) in its premises at any time.
- 5) The CETP Operator shall dispose off its hazardous waste category no. 5.1 to the authorized unit/ recycler/ reprocessor having valid Registration Certificate-cum-Pass Book from Punjab Pollution Control Board/ respective State Pollution Control Board and valid authorization of the State Board under the said Rules and 'consents to operate' under the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of Pollution) Act, 1981 and authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 6) The CETP Operator shall dispose off its hazardous waste generated under category no. 5.2, 35.3 & 37.3 to the Common Hazardous Waste Treatment & Disposal Facility as per provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 7) The CETP Operator shall handle the hazardous waste(s) strictly in accordance with the provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and guidelines issued by Central Pollution Control Board / Ministry of Environment & Forests and Climate Change, New Delhi.
- 8) The CETP Operator proponent may also develop the vermi-composting/ composting to manage the biodegradable solid waste. PP shall not throw, dump, burn or burry any solid wastes in open, outside premises or in drain / water bodies.
- 9) The CETP Operator shall promote use of alternatives of single use plastics (SUP) and awareness to discourage use of plastic, through their Corporate Environment Responsibility (CER) activities.
- 10) The CETP Operator shall ensure that there are no usages of single use plastic- thermocol disposable items such as water bottles/ water pouches/ water cups, plates, forks, spoons, straw etc. and single use decorating material made of plastic-thermocol or any other non-biodegradable material in the premises.
- 11) In case the industry fails to comply with the above conditions of authorization as well as provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and/ or any other environmental law applicable to the industry and Rules, Circulars & Directions issued by the Board from time to time, the Board shall constrained to take action against the industry under the provisions of the Pollution Control Laws.



04/07/2024

(Rajeev Gupta)
Environmental Engineer

For & on behalf

"This is computer generated document from OCMMS by PPCB"

Common effluent treatment plant, Industrial focal point chanelon ,Kharar, Sas nagar, 140103


of
(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

1) Environmental Engineer, Punjab Pollution Control Board, Regional Office, SAS Nagar



04/07/2024

(Rajeev Gupta)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)





Punjab Small Industries & Export Corporation Ltd.

(A State Government Undertaking)

An ISO 9001 Company

Regd. Office : 18, Himalya Marg, Udyog Bhawan, Sector 17-A, Chandigarh - 160 017
 Phones : 2702301-05, Fax : 91-0172-2702039, Gram INDCORP
 Website : www.psiec.gov.in E-mail : psiec_chd@yahoo.co.in

Dispatch No. PSIEC/SDE-CHD 1744


Dated... 25/8/20

To

M/s Bansal EnviroTech

Subject: Permission for Fresh Water Supply Connection for PPCB Plot at Industrial Focal Point Chanalon.

With reference to your letter dated 17/08/2020 wherein you have requested for Permission of supply of fresh water to the above said plot for consumption and domestic purpose from appropriate water supply mechanism. In this regard, it is intimated that the permission for release of fresh water connection will be granted as and when applied by you. The case for water connection for the said plot will be sent for approval of competent authority after obtaining all the requisite documents from your office as per laid down procedure of PSIEC.


 25/8/20
 Sub Divisional Engineer-Chd
 PSIEC, Chandigarh.

C/c:

1. CE, PSIEC for kind information please.
2. EE-II for kind information please.

PSPCL

ਪੱਤਰ ਨੰ: 727

ਮਿਤੀ: 25/8/2020

ਵਲੋ: ਸਹਾਇਕ ਕਾਰਜਕਾਰੀ ਇੰਜੀ:
ਸੰਚਾਲਣ ਉਪ ਮੰਡਲ ਕੁਰਾਲੀ।

ਵੱਲ: ਬੰਸਲ ਇਨਵਾਈਰੋਟੈਕ
ਫੋਕਲ ਪੋਆਇੰਟ ਚਨਾਲੋਂ

ਵਿਸ਼ਾ: ਫੋਕਲ ਪੋਆਇੰਟ ਚਨਾਲੋਂ ਵਿਖੇ ਬਿਜਲੀ ਦਾ ਕੂਨੈਕਸ਼ਨ ਜਾਰੀ ਕਰਨ ਸੰਬਧੀ।
ਹਵਾਲਾ: ਆਪ ਜੀ ਦੀ ਦਰਖਾਸਤ ਮਿਤੀ 24.08.2020

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਦੇ ਸੰਬਧ ਵਿਚ ਆਪ ਨੂੰ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਆਪ ਜੀ ਵਲੋਂ ਮਿਤੀ 24.08.25020 ਨੂੰ ਇਸ ਦਫਤਰ ਵਿਖੇ ਇਕ ਦਰਖਾਸਤ ਰਾਂਹੀ ਫੋਕਲ ਪੋਆਇੰਟ ਚਨਾਲੋਂ ਵਿਖੇ ਟਰੀਟਮੈਂਟ ਪਲਾਂਟ ਲਗਵਾਉਣ ਲਈ ਬਿਜਲੀ ਦਾ ਕੂਨੈਕਸ਼ਨ ਅਤੇ ਕੰਸਟ੍ਰਕਸ਼ਨ ਲਈ ਟੈਂਪਰੇਰੀ ਕੂਨੈਕਸ਼ਨ ਸੰਬਧੀ ਜਾਣਕਾਰੀ ਮੰਗੀ ਗਈ ਸੀ। ਇਸ ਸੰਬਧੀ ਆਪ ਜੀ ਨੂੰ ਸੂਚਿਤ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਇਸ ਜਗ੍ਹਾ ਤੇ ਆਪ ਜੀ ਨੂੰ ਟੈਂਪਰੇਰੀ ਅਤੇ ਪਰਮਾਨੈਂਟ ਦੋਨੋ ਕੂਨੈਕਸ਼ਨ ਪੀ ਐਸ ਪੀ ਸੀ ਐਲ ਦੀ ਹਦਾਇਤਾਂ/ ਸ਼ਰਤਾਂ ਪੂਰੀਆ ਕਰਨ ਉਪਰੰਤ ਦਿੱਤੇ ਜਾ ਸਕਦਾ ਹਨ ਜੀ। ਇਹ ਆਪ ਜੀ ਦੀ ਸੂਚਨਾਂ ਅਤੇ ਅਗਲੇਰੀ ਕਾਰਵਾਈ ਹਿੱਤ ਹੈ ਜੀ।


ਸਹਾਇਕ ਕਾਰਜਕਾਰੀ ਇੰਜੀ
ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਿਟਿਡ
ਸਬ-ਡਵਿਜਨ, ਕੁਰਾਲੀ

ਪੰਜਾਬ ਬਿਜਲੀ ਇੰਸਪੈਕਟਰੇਟ

ਵੱਲੋਂ

ਮੁੱਖ ਬਿਜਲੀ ਇੰਸਪੈਕਟਰ,
ਪੰਜਾਬ ਸਰਕਾਰ, ਪਟਿਆਲਾ।

ਵੱਲ

ਮੈਂ/ਸ: ਬੈਂਟੈਕ ਵਾਟਰ ਪ੍ਰਾ.ਲਿਮ.,
ਇੰਡਸਟ੍ਰੀਅਲ, ਸਾਈਟ ਐਂਡਜ਼ੁਆਇਨਿੰਗ ਐਸ.ਟੀ.ਪੀ. ਪਲਾਂਟ,
ਪੀ.ਐਸ.ਆਈ.ਈ.ਸੀ. ਲੈਂਡ,
ਫੋਕਲ ਪੁਆਇੰਟ,
ਚਨਾਲੋਂ (ਕੁਰਾਲੀ)।

ਮੀਮੋ ਨੰ:
ਮਿਤੀ:

ਵਿਸ਼ਾ: 630ਕੇਵੀਏ ਟ/ਫ ਅਤੇ ਸੰਬੰਧਤ ਉਪਕਰਨਾਂ ਦੇ ਨਿਰੀਖਣ ਸੰਬੰਧੀ।

ਹਵਾਲਾ: ਤੁਹਾਡੇ ਪੱਤਰ ਨੰ: ਨਿਲ ਮਿਤੀ 30.3.2022 ਦੇ ਸਬੰਧ ਵਿੱਚ।

ਵਿਸ਼ੇ ਸੰਬੰਧਤ ਸਥਾਪਤੀਆਂ ਦਾ ਨਿਰੀਖਣ ਇਸ ਵਿਭਾਗ ਵੱਲੋਂ ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਕੀਤਾ ਗਿਆ:

- ਟ/ਫ ਨੇੜੇ ਅੱਗ-ਬੁਝਾਊ ਯੰਤਰਾਂ ਦਾ ਪ੍ਰਬੰਧ ਕੀਤਾ ਜਾਵੇ।
- ਮੌਕੇ ਤੇ ਦੱਸੇ ਅਨੁਸਾਰ ਟ/ਫ ਦੇ ਆਲੇ-ਦੁਆਲੇ ਫੈਨਸਿੰਗ ਕੀਤੀ ਜਾਵੇ।
- ਟ/ਫ ਨੂੰ ਕੀਤੀਆਂ ਅਰਥਾਂ ਦੇ ਅਰਥ-ਪਿੱਟਸ ਦੀ ਉਸਾਰੀ ਕੀਤੀ ਜਾਵੇ।

ਇਸ ਵਿਭਾਗ ਦੇ ਪੱਤਰ ਨੰ: 125 ਮਿਤੀ 5.4.2022 ਰਾਹੀਂ ਸਥਾਪਤੀਆਂ ਨੂੰ ਆਰਜ਼ੀ ਤੌਰ ਤੇ ਚਾਲੂ ਕਰਨ ਲਈ ਦਿੱਤੀ ਗਈ ਮਨਜ਼ੂਰੀ ਨੂੰ ਇਸ ਪੱਤਰ ਰਾਹੀਂ ਪੱਕਾ ਕੀਤਾ ਜਾਂਦਾ ਹੈ।

ਨੋਟ: ਕਿਉਂਕਿ ਇਹ ਹਾਈ ਵੋਲਟੇਜ ਸਥਾਪਤੀਆਂ ਹਨ, ਇਸ ਲਈ ਇਹਨਾਂ ਦਾ ਹਰ ਸਾਲ ਇਸ ਵਿਭਾਗ ਤੋਂ ਨਿਰੀਖਣ ਕਰਵਾਇਆ ਜਾਵੇ।
ਸਥਾਪਤੀਆਂ ਦੀ ਕੇਂਦਰੀ ਬਿਜਲੀ ਅਥਾਰਟੀ (ਸੁਰੱਖਿਆ ਨਾਲ ਸੰਬੰਧਤ ਮਾਪਦੰਡ ਅਤੇ ਬਿਜਲੀ ਸਪਲਾਈ) ਵਿਨਿਯਮ, 2010 ਦੇ ਵੱਖ-2 ਲੋੜੀਂਦੇ ਰੈਗੂਲੇਸ਼ਨਜ਼ ਅਨੁਸਾਰ ਨਿਰੰਤਰ ਪਾਲਣਾ ਯਕੀਨੀ ਬਣਾਈ ਜਾਵੇ।

ਸਹਿ-
ਵਾ: ਮੁੱਖ ਬਿਜਲੀ ਇੰਸਪੈਕਟਰ,
ਪੰਜਾਬ ਸਰਕਾਰ, ਪਟਿਆਲਾ।

ਪਿੱਠ ਅੰਕਣ ਨੰ: 155

ਮਿਤੀ: 6-4-2022

ਉਪਰੋਕਤ ਦਾ ਇੱਕ ਉਤਾਰਾ ਸੰਬੰਧਤ ਸਹਾਇਕ ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ, ਕੁਰਾਲੀ ਨੂੰ ਸੂਚਨਾ ਅਤੇ ਜ਼ਰੂਰੀ ਕਾਰਵਾਈ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ।

ਸਹਿ-
ਵਾ: ਮੁੱਖ ਬਿਜਲੀ ਇੰਸਪੈਕਟਰ,
ਪੰਜਾਬ ਸਰਕਾਰ, ਪਟਿਆਲਾ।

ਪੰਜਾਬ ਬਿਜਲੀ ਇੰਸਪੈਕਟਰੇਟ

ਵੱਲੋਂ

ਮੁੱਖ ਬਿਜਲੀ ਇੰਸਪੈਕਟਰ,
ਪੰਜਾਬ ਸਰਕਾਰ, ਪਟਿਆਲਾ।

ਵੱਲ

ਮੈ/ਸ: ਬੈਂਟੈਕ ਵਾਟਰ ਪ੍ਰਾ:ਲਿਮ:,
ਇੰਡਸਟ੍ਰੀਅਲ, ਸਾਈਟ ਐਡਜ਼ ਆਇਨਿੰਗ ਐਸ.ਟੀ.ਪੀ. ਪਲਾਂਟ,
ਪੀ.ਐਸ.ਆਈ.ਈ.ਸੀ. ਲੈਂਡ,
ਫੋਕਲ ਪੁਆਇੰਟ,
ਚਨਾਲੋਂ (ਕੁਰਾਲੀ)।

ਮੀਮੋ ਨੰ: 154

ਮਿਤੀ: 6-4-2022

ਵਿਸ਼ਾ: 630ਕੇਵੀਏ ਟ/ਫ ਅਤੇ ਸੰਬੰਧਤ ਉਪਕਰਨਾਂ ਦੇ ਨਿਰੀਖਣ ਸੰਬੰਧੀ।

ਹਵਾਲਾ: ਤੁਹਾਡੇ ਪੱਤਰ ਨੰ: ਨਿਲ ਮਿਤੀ 30.3.2022 ਦੇ ਸਬੰਧ ਵਿੱਚ।

ਵਿਸ਼ੇ ਸੰਬੰਧਤ ਸਥਾਪਤੀਆਂ ਦਾ ਨਿਰੀਖਣ ਇਸ ਵਿਭਾਗ ਵੱਲੋਂ ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਕੀਤਾ ਗਿਆ:

- ਟ/ਫ ਨੇੜੇ ਅੱਗ-ਬੁਝਾਊ ਯੰਤਰਾਂ ਦਾ ਪ੍ਰਬੰਧ ਕੀਤਾ ਜਾਵੇ।
- ਮੌਕੇ ਤੇ ਦੱਸੇ ਅਨੁਸਾਰ ਟ/ਫ ਦੇ ਆਲੇ-ਦੁਆਲੇ ਫੈਨਸਿੰਗ ਕੀਤੀ ਜਾਵੇ।
- ਟ/ਫ ਨੂੰ ਕੀਤੀਆਂ ਅਰਥਾਂ ਦੇ ਅਰਥ-ਪਿੱਟਸ ਦੀ ਉਸਾਰੀ ਕੀਤੀ ਜਾਵੇ।

ਇਸ ਵਿਭਾਗ ਦੇ ਪੱਤਰ ਨੰ: 125 ਮਿਤੀ 5-4-2022 ਰਾਹੀਂ ਸਥਾਪਤੀਆਂ ਨੂੰ ਆਰਜ਼ੀ ਤੌਰ ਤੇ ਚਾਲੂ ਕਰਨ ਲਈ ਦਿੱਤੀ ਗਈ ਮਨਜ਼ੂਰੀ ਨੂੰ ਇਸ ਪੱਤਰ ਰਾਹੀਂ ਪੱਕਾ ਕੀਤਾ ਜਾਂਦਾ ਹੈ।

ਨੋਟ: ਕਿਉਂਕਿ ਇਹ ਹਾਈ ਵੋਲਟੇਜ ਸਥਾਪਤੀਆਂ ਹਨ, ਇਸ ਲਈ ਇਹਨਾਂ ਦਾ ਹਰ ਸਾਲ ਇਸ ਵਿਭਾਗ ਤੋਂ ਨਿਰੀਖਣ ਕਰਵਾਇਆ ਜਾਵੇ।
ਸਥਾਪਤੀਆਂ ਦੀ ਕੇਂਦਰੀ ਬਿਜਲੀ ਅਥਾਰਟੀ (ਸੁਰੱਖਿਆ ਨਾਲ ਸੰਬੰਧਤ ਮਾਪਦੰਡ ਅਤੇ ਬਿਜਲੀ ਸਪਲਾਈ) ਵਿਨਿਯਮ, 2010 ਦੇ ਵੱਖ-2 ਲੋੜੀਂਦੇ ਰੈਗੂਲੇਸ਼ਨਜ਼ ਅਨੁਸਾਰ ਨਿਰੰਤਰ ਪਾਲਣਾ ਯਕੀਨੀ ਬਣਾਈ ਜਾਵੇ।

ਵਾ: ਮੁੱਖ ਬਿਜਲੀ ਇੰਸਪੈਕਟਰ,
ਪੰਜਾਬ ਸਰਕਾਰ, ਪਟਿਆਲਾ।

ਮਿਤੀ: _____

ਪਿੱਠ ਅੰਕਣ ਨੰ: _____

ਉਪਰੋਕਤ ਦਾ ਇੱਕ ਉਤਾਰਾ ਸੰਬੰਧਤ ਸਹਾਇਕ ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ, ਕੁਰਾਲੀ ਨੂੰ ਸੂਚਨਾ ਅਤੇ ਜ਼ਰੂਰੀ ਕਾਰਵਾਈ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ।

ਵਾ: ਮੁੱਖ ਬਿਜਲੀ ਇੰਸਪੈਕਟਰ,
ਪੰਜਾਬ ਸਰਕਾਰ, ਪਟਿਆਲਾ।

DDO Code: 0582		E - CHALLAN	
PNB Aggregator		Government of Punjab	
Receipt No.: 2129425		Date: 4/13/2022 2:19 PM	
Office Name: 0582-Rajpura Colony Road Patiala		District Treasury Office, Patiala	
Valid Uplo: Seven days from closing date of Application		Head of Account	
0043-00-102-00-00 NA		₹ Amount	
₹1400		₹1400	
Discount Amt: ₹0		Govt. Amt: ₹1400	
PET* Amt: ₹0		Total/Net Amt: ₹1,400	
Challan Status: Success		Candidate Detail	
GPF/PRAN/TIN/Actt. no./VehicleNo/TaxId:-			
PAN No:			
Name: SDO PSPCL KURALI			
Address: BANTECH WATER PVT LTD FOCAL POINT CHANALON			
Particulars: FOR CEI INSPECTION OF HT LINE AND CTPT UNIT			
Cash Cash Challan			
Depositor's Signature			
FOR USE IN RECEIVING BANK			
Bank CIN: 15011848497 Ref. 120099031883			
Bank: PNB Aggregator			
PET* Punjab excise and tax 11% departmental amount			

DDO Code: 0582		E - CHALLAN	
PNB Aggregator		Government of Punjab	
Receipt No.: 2129425		Date: 4/13/2022 2:19 PM	
Office Name: 0582-Rajpura Colony Road Patiala		District Treasury Office, Patiala	
Valid Uplo: Seven days from closing date of Application		Head of Account	
0043-00-102-00-00 NA		₹ Amount	
₹1400		₹1400	
Discount Amt: ₹0		Govt. Amt: ₹1400	
PET* Amt: ₹0		Total/Net Amt: ₹1,400	
Challan Status: Success		Candidate Detail	
GPF/PRAN/TIN/Actt. no./VehicleNo/TaxId:-			
PAN No:			
Name: SDO PSPCL KURALI			
Address: BANTECH WATER PVT LTD FOCAL POINT CHANALON			
Particulars: FOR CEI INSPECTION OF HT LINE AND CTPT UNIT			
Cash Cash Challan			
Depositor's Signature			
FOR USE IN RECEIVING BANK			
Bank CIN: 15011848497 Ref. 120099031883			
Bank: PNB Aggregator			
PET* Punjab excise and tax 11% departmental amount			

DDO Code: 0582		E - CHALLAN	
PNB Aggregator		Government of Punjab	
Receipt No.: 2129425		Date: 4/13/2022 2:19 PM	
Office Name: 0582-Rajpura Colony Road Patiala		District Treasury Office, Patiala	
Valid Uplo: Seven days from closing date of Application		Head of Account	
0043-00-102-00-00 NA		₹ Amount	
₹1400		₹1400	
Discount Amt: ₹0		Govt. Amt: ₹1400	
PET* Amt: ₹0		Total/Net Amt: ₹1,400	
Challan Status: Success		Candidate Detail	
GPF/PRAN/TIN/Actt. no./VehicleNo/TaxId:-			
PAN No:			
Name: SDO PSPCL KURALI			
Address: BANTECH WATER PVT LTD FOCAL POINT CHANALON			
Particulars: FOR CEI INSPECTION OF HT LINE AND CTPT UNIT			
Cash Cash Challan			
Depositor's Signature			
FOR USE IN RECEIVING BANK			
Bank CIN: 15011848497 Ref. 120099031883			
Bank: PNB Aggregator			
PET* Punjab excise and tax 11% departmental amount			

PUNJAB STATE POWER CORPORATION LIMITED

BILL RECEIPT(DUPLICATE)

PAYMENT DOCUMENT NUMBER	253640254913
ACCOUNT NO	003007788951
NAME	Bantech Water Private Limited
TRANSACTION ID	WHDF0983132320
TRANSACTION DATE AND TIME	15-03-2022
ACCOUNT WISE PAID AMOUNT	580350.40
PAYMENT MODE	INTERNET PAYMENT

This is a computer generated receipt and requires no signature
If you are unable to print the receipt, Please use ctrl+p command for printing and Ctrl+S for saving the receipt.

Save Energy Help Nation

Security / ACD $\approx 1180 \times 178 \approx \text{Rs } 210,040/-$ (R)

Meter Security $\approx \text{Rs } 30,010/-$ (R)

Adjustable Service charges $\approx 1900 \times 178 \approx \text{Rs } 3,38,200/-$ (A) -

Processing / Variable Charges $\approx 2100.40/-$ $(1780 + 4.518\%$
(N.R.)

Total $\approx \underline{\underline{\text{Rs } 5,80,350.40/-}}$

Demand notice estimate $\approx \text{Rs } 2,18,520$
from PSPCL

To be Misted in
Billing inform-0 1,196,80

Received
06/04/22

Office copy

Punjab State Power Corporation Ltd

**Demand Note for New Connection Order
Large Supply**

Date of Print: 01.04.2022

Demand Note

Valid Up to:

M/s Bantech Water Private Limited
Industrial, Site adjoining STP plant
PSIEC land, focal point channal Kurali
KILARAR, 140103
Punjab, India

Application No/Date: 100016915393 04.03.2022

Sub-Division: KURALI SUB DIVISION

Total Amount: 218520.00

Terms and conditions

- 1) The Board undertakes to give supply provided you remit the following charges which are at current rates. In case these charges are revised at the time of release of connection/load, you would be liable to pay the difference, if any.
- 2) Details of step down transformers including furnace or distribution transformer to be installed by HT consumers be indicated in Test Report. Clearance of Chief Electrical Inspector, Punjab allowing energisation of transformer be attached.
- 3) Power of attorney in favor of duly authorized person/representative executing the Agreement be supplied, in case of partnership Firms, registered societies and limited companies.
- 4) In case of industrial connection (except falling under green category), you are required to obtain clearance certificate from Punjab Air And Water Pollution control Board and furnish the same with the test report.
- 5) You are requested to install earth leakage protective device of suitable capacity and indicate the same in the test report.
NOTE: - This provision is applicable for applicants availing connections at lower voltage with power requirement of 5KW or more or where electric power is required for X-ray installation or luminous tube sign installation and those at medium or high voltage.
- 6) This demand notice is valid from 01.04.2022 to . If the requisite formalities as mentioned above are not complied Within the validity period, your application shall be liable for cancellation without serving any further notice in this regard. However, if you want extension in the validity period of demand notice, a request in this regard should be made to this office before expiry of Validity period along with a deposit of Rs. _____ as extension fee. Please note that if no such request for extension in Demand Notice period is received before the date of expiry of original Demand Notice period, your application shall automatically Be treated as cancelled and the same shall not be revived afterwards.
- 7) You are required to install shunt capacitor of KVAR Capacity and the details of the capacitors be indicated in the test report.
- 8) You may also supply the undertaking/documents as listed below.
- 9) Please return this letter duly signed along with compliance of above stipulations.
- 10) Copy of challan for having deposited Rs. _____ in the treasury on account of inspection fee of chief electrical inspector be attached.
- 11) Others

For BANTECH WATER PVT. LTD.

Director

Yours faithfully,

Director
Kurali Sub Division
PSIEC Kurali

List of documents to be submitted:-

- 1) Test Reports.
- 2) Details and Particulars of shunt capacitors.
- 3) Details and name plate data of step down transformer.
- 4) Particulars and name plate data of the energy consuming appliances for Industrial and AP Consumers.
- 5) Clearance Certificate from PPCB if applicable or affidavit.
- 6) Certificate/document for claiming priority if applicable.
- 7) Copy of challan of CEI and permission accorded by him.
- 8) Other documents in terms of Regulation No. 3.

DDO Code: 0582		E - CHALLAN		Government of Punjab	
PNB Aggregator		Bank Copy			
Receipt No.: 2081006		Date: 4/2/2022 11:49 AM			
Office Name: 0582-Rajpura Colony Road Patiala					
Treasury: District Treasury Office, Patiala					
Valid Upto: Seven days from closing date of Application					
Head of Account		₹ Amount			
0043-00-102-00-00 NA				₹5600	
		Govt. Amt:		₹5600	
Discount Amt:		₹0	PET* Amt:	₹0	
Total/Net Amt:				₹5,600	
Challan Status: Success		Candidate Detail			
GPF/PRAN/TIN/Actt. no./VehicleNo/TaxId:-					
PAN No:					
Name: BANTECH WATER PVT LTD					
Address: FOCAL POINT CHANALON KURALI					
Particulars: ON ACCOUNT OF CEI INSPECTION					
Cash	Cash Challan	Depositor's Signature			
FOR USE IN RECEIVING BANK					
Bank CIN: 14952018931		Ref. 120098913972			
Bank: PNB Aggregator					
PET* Punjab excise and tax 11% departmental amount					

DDO Code: 0582		E - CHALLAN		Government of Punjab	
PNB Aggregator		Treasury Copy			
Receipt No.: 2081006		Date: 4/2/2022 11:49 AM			
Office Name: 0582-Rajpura Colony Road Patiala					
Treasury: District Treasury Office, Patiala					
Valid Upto: Seven days from closing date of Application					
Head of Account		₹ Amount			
0043-00-102-00-00 NA				₹5600	
		Govt. Amt:		₹5600	
Discount Amt:		₹0	PET* Amt:	₹0	
Total/Net Amt:				₹5,600	
Challan Status: Success		Candidate Detail			
GPF/PRAN/TIN/Actt. no./VehicleNo/TaxId:-					
PAN No:					
Name: BANTECH WATER PVT LTD					
Address: FOCAL POINT CHANALON KURALI					
Particulars: ON ACCOUNT OF CEI INSPECTION					
Cash	Cash Challan	Depositor's Signature			
FOR USE IN RECEIVING BANK					
Bank CIN: 14952018931		Ref. 120098913972			
Bank: PNB Aggregator					
PET* Punjab excise and tax 11% departmental amount					

DDO Code: 0582		E - CHALLAN		Government of Punjab	
PNB Aggregator		Remitter Copy			
Receipt No.: 2081006		Date: 4/2/2022 11:49 AM			
Office Name: 0582-Rajpura Colony Road Patiala					
Treasury: District Treasury Office, Patiala					
Valid Upto: Seven days from closing date of Application					
Head of Account		₹ Amount			
0043-00-102-00-00 NA				₹5600	
		Govt. Amt:		₹5600	
Discount Amt:		₹0	PET* Amt:	₹0	
Total/Net Amt:				₹5,600	
Challan Status: Success		Candidate Detail			
GPF/PRAN/TIN/Actt. no./VehicleNo/TaxId:-					
PAN No:					
Name: BANTECH WATER PVT LTD					
Address: FOCAL POINT CHANALON KURALI					
Particulars: ON ACCOUNT OF CEI INSPECTION					
Cash	Cash Challan	Depositor's Signature			
FOR USE IN RECEIVING BANK					
Bank CIN: 14952018931		Ref. 120098913972			
Bank: PNB Aggregator					
PET* Punjab excise and tax 11% departmental amount					

SCHEDULE OF ELECTRICAL INSTALLATIONS

Details of electrical apparatus of consumer (H.T., L.T., Capacitor's & Generator - as applicable)

Description of Installation	Make	Maker's Name	RPM	Type & Size of Switch/Starter	Type & Size of Connecting Cable	Earth Resistance (Ohm)	Insulation Resistance (OHM)	Capacity (KW/HP.)
MOTIV LOAD								
① Feed Pump 500 x 1.5 K.W.	-	Is E	1440	(DOL)	4 sq ²	10 ohm	Infinity	8.000 K.W.
② Circular Pump 400 x 1.5 K.W.	"	"	"	Star/D	2.5 sq ²	-	"	60.000 K.W.
③ Vacuum Pump 200 x 5 K.W.	"	"	"	DOL	10 sq ²	"	"	10.000 K.W.
④ Seeding Pump 200 x 1.5 K.W.	"	"	"	"	2.5 sq ²	-	"	2.000 K.W.
⑤ Cooling Towers 300 x 10 K.W.	"	"	"	Star/D	16 sq ²	-	"	30.000 K.W.
⑥ Drain Pump 1 K.W.	"	"	"	DOL	2.5 sq ²	-	"	1.000 K.W.
⑦ Air Blower 5 K.W.	"	"	"	"	10 sq ²	-	"	5.000 K.W.
⑧ Thermic Fluid Heater (Boiler)	"	"	"	Star/D	35 sq ²	-	"	30.000 K.W.
Pressure Pump 300 x 1.5 K.W.	"	"	"	"	50 sq ²	-	"	45.000
⑨ Dosing Pump 1000 x 1 K.W.	"	"	"	DOL	2.5 sq ²	-	"	10.000 K.W.
⑩ Air Compressor 10 HP x 200	"	"	"	"	16 sq ²	-	"	7.460 K.W.
⑪ Mixer M/C 1000 x 1 K.W.	"	"	"	"	"	-	"	10.000 K.W.
⑫ Air Blower 200 x 5.5 K.W.	"	"	"	"	"	-	"	11.000 K.W.
⑬ Backwash Pump 200 x 5 K.W.	"	"	"	"	"	-	"	10.000 K.W.
⑭ PLC M/C 200 x 10 K.W.	"	"	"	"	"	-	"	20.000 K.W.
⑮ Liqueur Pump 200 x 5 K.W.	"	"	"	"	"	-	"	10.000 K.W.
⑯ M/C 600 x 1 K.W.	"	"	"	"	"	-	"	6.000 K.W.
Total Motive Load								KW 276.41

S.No.	Type of Fixture	Quantity	Rating	Total Capacity	
	Lights.	10000	40 W	4.000	M. LOAD 276.460 L. LOAD 35.540 Total 312.000
	Fan	5000	60 W	3.000	
	Wall Sockets.	300/300	60 W	6.000	
	Plug.	30/200	1 K.W.	12.000	
	A/C.	300	2.5 K.W.	7.500	
	BV	100	40 W	0.040	/
	Start Capacitor bank installed			1	
	75 K.V.A.R L.T. Motor				
	P.F. above 0.9 K.V.A			35.540	

Grand Total Load 312.000 KW

CD - 178.000 K.V.A

G. S. S. S.

ਪੰਜਾਬ ਬਿਜਲੀ ਇੰਸਪੈਕਟਰੇਟ

ਵੱਲੋਂ

ਮੁੱਖ ਬਿਜਲੀ ਇੰਸਪੈਕਟਰ,
ਪੰਜਾਬ ਸਰਕਾਰ, ਪਟਿਆਲਾ।

ਵੱਲੋਂ

ਸਹਾਇਕ ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ,
ਪੰਜਾਬ ਰਾਜ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮ:
ਵੰਡ ਉਪ ਮੰਡਲ
ਕੁਰਾਲੀ

ਮੀਮੇ ਨੰ: 125


ਮਿਤੀ: 05/04/2022

ਵਿਸ਼ਾ - 630 ਕੇ.ਵੀ.ਏ ਟ੍ਰਾਂਸਫਾਰਮਰ (ਮੈ / ਸ ਬੈਂਟੇਕ ਵਾਟਰ ਪ੍ਰਾਈਵੇਟ ਲਿਮਿਟਿਡ, ਚਨਾਲੋ) ਅਤੇ
ਸਬੰਧਤ ਉਪਕਰਨਾਂ ਦੇ ਨਿਰੀਖਣ ਸਬੰਧੀ।

ਹਵਾਲਾ ਆਪ ਜੀ ਦੇ ਪੱਤਰ ਨੰ NIL ਮਿਤੀ NIL ਦੇ ਸਬੰਧ ਵਿੱਚ।

ਲੋਕ ਹਿੱਤ ਨੂੰ ਧਿਆਨ ਵਿਚ ਰੱਖਦੇ ਵਿਸ਼ੇ ਸਬੰਧਤ ਸਥਾਪਤੀਆਂ ਨੂੰ ਅਰਜੀ ਤੋਰ ਤੇ ਚਲਾਉਣ ਦੀ
ਆਗਿਆ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ। ਸਥਾਪਤੀਆਂ ਨੂੰ ਚਾਲੂ ਕਰਨ ਤੋਂ ਪਹਿਲਾਂ ਇਹ ਯਕੀਨੀ ਬਣਾਇਆ
ਜਾਵੇ ਕਿ ਸਥਾਪਤੀ ਦੀ ਉਸਾਰੀ ਕੇਂਦਰੀ ਬਿਜਲੀ ਅਥਾਰਿਟੀ (ਸੁਰੱਖਿਆ ਨਾਲ ਸਬੰਧਤ ਮਾਪਦੰਡ ਅਤੇ
ਬਿਜਲੀ ਸਪਲਾਈ) ਰੈਗੂਲੇਸ਼ਨ 2010 ਦੀਆਂ ਵੱਖ-ਵੱਖ ਧਾਰਵਾਂ ਦੇ ਅਨੁਕੂਲ ਕੀਤੀ ਹੋਈ ਹੈ।

ਸਥਾਪਤੀਆਂ ਦਾ ਨਿਰੀਖਣ ਬਾਦ ਵਿੱਚ ਕੀਤਾ ਜਾਵੇਗਾ।


ਵਾ: ਮੁੱਖ ਬਿਜਲੀ ਇੰਸਪੈਕਟਰ,
ਪੰਜਾਬ ਸਰਕਾਰ, ਪਟਿਆਲਾ।



Building Permit/Sanction

File/B.A. No. PB/SAS/KURAL/94159

Dated 01-09-2021

To: **SIDDHARTH BANSAL FOR BANTECH WATER PRIVATE LIMITED, Kurali**

Subject: Sanction u/s 262(1) of PMC Act, 1976/PM Act, 1911.

Dear Sir or Madam,

With reference to your application dated **27-07-2021**, for the grant of sanction to erect/re-erect/add to/alteration in the building to carry out the development specified in the said application relating to Plot/Site No. **NA** Ward no. **NA** situated in/at **COMMON EFFULENT TREATMENT PLANT FOR PPCB, ADJOINING STP SITE, INDUSTRIAL FOCAL POINT, CHANALON**. I have to state that the Authority subject to the following conditions and corrections done in the plans has sanctioned the same on **01-09-2021**.

The plans are valid up to three year

1. The construction will be undertaken as per sanctioned plan only and no deviation from the bye-laws will be permitted without prior sanction. Any deviation done against the bye-laws is liable to be demolished and the supervising Architect/Professional engaged on the job will run the risk of being black listed.
2. Violation of building bye-laws will not be compounded.
3. It will be the duty of the owner of the plot and the Architect/Professional preparing the plans to ensure that the sanctioned plans are as per prevalent Master Plan/Zonal Plan/Building Bye-laws. If any infringement of bye-laws remain unnoticed, the concerned Authority reserves the right to amend the plans as and when infringement come to the notice and concerned Authority will stand indemnified against any claim on this account.
4. A notice in writing shall be sent to Authority before commencement of the construction of the building as per bye-laws. Similar notice will be sent to Authority when the building has reached up to plinth level.
5. The owner shall not occupy or permit to occupy the building or use or permit to use the building or any part thereof affected by any such work until occupancy certificate is issued by the concerned Authority.
6. Concerned Authority will stand indemnified and kept harmless from all proceedings in court and before other authorities of all expenses /claims which the concerned Authority may incur or become liable to pay as a result or in consequences of the sanction accorded by it to these building plans.
8. The doors and window leaves shall be fixed in such a way that they shall not, when open project on any street.
9. The owner will not convert the house into more dwelling units on each floor then the sanctioned.
10. The building shall not be constructed within minimum distance as specified in Indian Electricity Rules from voltage lines running on side of the site.
11. The land left open as a consequence of the enforcement of the setback rule shall form part of the public street.
12. The owner shall ensure that the public areas like road, parks and other public opens spaces are not used for stacking the building materials or machineries to avoid public inconvenience and nuisance.
13. The sanction will be void if auxiliary conditions mentioned above and other conditions whatsoever imposed are not complied.
14. The owner will use the premises for the use, which has been sanctioned.
15. The owner will not proceed with the construction without having the supervision of an







Rajesh Kumar
Sharma

[illegible]

Encl: A set of sanctioned plan.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----



BUILDING PLAN APPLICATION STATUS DETAIL:-

Applicant Name	SIDDHARTH BANSAL FOR BANTECH WATER PRIVATE LIMITED
Self Certification	---
Zone	Zone
ULB Name	Kurali
Building Category	Public Building / Institutional Building
File No.	PB/SAS/KURAL/94159
Captured On	27 Jul 2021 at 10:51 AM
Application Status	MC approved
Status Change Date	01 Sep 2021 at 11:26 AM
Punjab Sanction Letter	Download Sanction Letter Download Scrutiny Certification
Pay1 Amount	83,650.00
Pay1 Status	Payment Done!
Pay2 Amount	154,656.00
Pay2 Status	Payment Done!
Architect Name	Aru Jindal
Architect Email ID	samyaksansthan@yahoo.com



Punjab Fire Services
(Kharar)



APPROVAL OF FIRE SAFETY ARRANGEMENTS
ਫਾਇਰ ਸੇਫਟੀ ਪ੍ਰਬੰਧਾਂ ਦੀ ਪ੍ਰਵਾਨਗੀ

No. 1503-37902-Fire/26815

Dated 17-Jun-2021

Certified that the **COMMON EFFULENT TREATMENT PLANT SITE FOR PPCB ADJOINING STP SITE** at **SITE FOR PPCB, ADJOINING STP SITE, IFP CHANALON** has been inspected by the fire officer. This site is vacant/under-construction and is accessible to fire brigade. As per proposed drawing, building is to be constructed with 0 basements and 2 (Upper floor). Fire department has examined the fire safety layout plan/drawing and found to be fit for occupancy group **GROUP-G** subdivision G-3 (as per National Building Code of India/ Building bye Laws).

Issued on 17-Jun-2021 at Kharar

ਤਸਦੀਕ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ **COMMON EFFULENT TREATMENT PLANT SITE FOR PPCB ADJOINING STP SITE** ਪਤਾ **SITE FOR PPCB, ADJOINING STP SITE, IFP CHANALON** ਦੀ ਫਾਇਰ ਅਫਸਰ ਵਲੋਂ ਪੜਤਾਲ ਕੀਤੀ ਗਈ। ਇਸ ਸਮੇਂ ਇਹ ਜਗ੍ਹਾ ਖਾਲੀ/ਉਸਾਰੀ ਅਧੀਨ ਹੈ ਅਤੇ ਫਾਇਰ ਬ੍ਰਿਗੇਡ ਦੀ ਪਹੁੰਚ ਸਕਦੀ ਹੈ। ਲੇ-ਆਊਟ ਪਲਾਨ/ਡਰਾਈਂਗ ਮੁਤਾਬਿਕ 0 ਬੇਸਮੈਂਟ ਅਤੇ 2 ਮੰਜਿਲ ਹਨ। ਫਾਇਰ ਵਿਭਾਗ ਵਲੋਂ ਬਿਨੇਕਰਤਾ ਦੁਆਰਾ ਜਮਾ ਕਰਵਾਏ ਗਏ ਫਾਇਰ ਸੇਫਟੀ ਲੇ-ਆਊਟ ਪਲਾਨ/ਡਰਾਈਂਗ ਨੂੰ ਘੋਖਿਆ ਗਿਆ ਅਤੇ ਨੈਸ਼ਨਲ ਬਿਲਡਿੰਗ ਕੋਡ ਪਾਰਟ 1 / ਬਿਲਡਿੰਗ ਬਾਏ ਲਾਜ਼ ਅਨੁਸਾਰ ਗਰੁੱਪ **GROUP-G** ਸਬਡੀਵੀਜ਼ਨ **G-3** ਵਿੱਚ ਪੈਂਦਾ ਹੈ।

ਜਾਰੀ ਕਰਨ ਦੀ ਮਿਤੀ 17-Jun-2021 ਕਿੱਥੇ Kharar .

Approval of Fire Safety arrangements is issued subject to following conditions:

ਫਾਇਰ ਸੇਫਟੀ ਪ੍ਰਬੰਧਾਂ ਦੀ ਪ੍ਰਵਾਨਗੀ ਹੇਠ ਲਿਖੀਆਂ ਸ਼ਰਤਾਂ ਦੇ ਆਧਾਰ ਤੇ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ।

1. Occupant/Owner must install/provide fire safety arrangements as per submitted fire layout plan/drawing during construction.

ਕਾਬਜ਼ਕਾਰ/ਮਾਲਕ ਵਲੋਂ ਜਮਾਂ ਕਰਵਾਏ ਗਏ ਲੇ-ਆਊਟ ਪਲਾਨ/ਡਰਾਈਂਗ ਅਨੁਸਾਰ ਫਾਇਰ ਸੇਫਟੀ ਦੇ ਪ੍ਰਬੰਧ ਕਰਨੇ ਲਾਜ਼ਮੀ ਹੋਣਗੇ।

2. Occupant/Owner must obtain the final NOC from fire department on completion of building construction before occupancy.

ਕਾਬਜ਼ਕਾਰ/ਮਾਲਕ ਵਲੋਂ ਇਸ ਪ੍ਰੋਜੈਕਟ ਦੀ ਉਸਾਰੀ ਉਪਰੰਤ ਫਾਇਰ ਸੇਫਟੀ ਸਬੰਧੀ ਫਾਇਰ ਐਨ.ਓ.ਸੀ ਲੈਣਾ ਹੋਵੇਗਾ।

3. Fire department may ask for additional arrangements (if necessary) after the completion of construction of building.

ਫਾਇਰ ਵਿਭਾਗ ਵਲੋਂ ਬਿਲਡਿੰਗ ਦੀ ਉਸਾਰੀ ਦਾ ਕੰਮ ਮੁਕੰਮਲ ਹੋਣ ਤੇ ਫਾਇਰ ਸੇਫਟੀ ਦਾ ਵਾਧੂ ਪ੍ਰਬੰਧ (ਜੇਕਰ ਲੋੜ ਹੋਵੇ) ਕਰਨ ਲਈ ਕਿਹਾ ਜਾ ਸਕਦਾ ਹੈ।

4. During construction, fire safety arrangements should be provided as per requirements of NBC and concerned fire officer can check the site any time.

ਐਨ.ਓ.ਸੀ ਅਨੁਸਾਰ ਬਿਲਡਿੰਗ ਦੀ ਉਸਾਰੀ ਸਮੇਂ ਫਾਇਰ ਸੇਫਟੀ ਦੇ ਲੋੜੀਂਦੇ ਪ੍ਰਬੰਧ ਕਰਨੇ ਜ਼ਰੂਰੀ ਹੋਣਗੇ।

5. In case of any change/alteration in the building plan, owner/occupant must re-apply for the provisional certificate.

ਜੇਕਰ ਕਾਬਜਕਾਰ/ਮਾਲਕ ਵਲੋਂ ਕੋਈ ਵੀ ਤਬਦੀਲੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਤਾਂ ਦੁਬਾਰਾ ਤੇ ਪ੍ਰੋਵੀਜਨਲ ਐਨ.ਓ.ਸੀ ਲਈ ਅਪਲਾਈ ਕਰਨਾ ਪਵੇਗਾ।

6. Fire department reserves the right to withdraw this issued certificate, if any change in fire/building layout plan is made without notice to fire department.

ਜੇਕਰ ਕਾਬਜਕਾਰ/ਮਾਲਕ ਵਲੋਂ ਬਿਨਾਂ ਫਾਇਰ ਵਿਭਾਗ ਦੀ ਮਨਜ਼ੂਰੀ ਤੇ ਲੇਆਊਟ ਪਲਾਨ ਵਿਚ ਕੋਈ ਤਬਦੀਲੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਤਾਂ ਜਾਰੀ ਕੀਤਾ ਗਿਆ ਸਰਟੀਫਿਕੇਟ ਵਾਪਸ ਲੈਣ ਦਾ ਹੱਕ ਰਾਖਵਾਂ ਹੋਵੇਗਾ।

*** Above Details cannot be used as ownership proof.**

ਉਪਰੋਕਤ ਦਰਸਾਈ ਗਈ ਜਾਣਕਾਰੀ ਨੂੰ ਮਾਲਕਾਨਾ ਦੇ ਸਬੂਤ ਵਜੋਂ ਨਹੀਂ ਵਰਤਿਆ ਜਾਵੇਗਾ।

*** This is digitally created certificate, no signature are needed**

ਇਹ ਡਿਜੀਟਲੀ (ਕੰਪਿਊਟਰਾਈਜ਼ਡ) ਤਿਆਰ ਕੀਤਾ ਗਿਆ ਸਰਟੀਫਿਕੇਟ ਹੈ, ਜਿਸ ਵਿੱਚ ਦਸਤਖਤ ਦੀ ਕੋਈ ਲੋੜ ਨਹੀਂ ਹੈ।

Print

TEST REPORT



TC-7477

ULR No. : TC74772100006829F		Test Report No. : EL031121NW004	
Type of Sample : Water (Ground Water)		Date of Reporting : 13/11/2021	
Customer	600, KLD Common Effluent Treatment Plant By Bantech Water Pvt. Ltd. (Formerly Known as M/s Bansal Envirotech Pvt. Ltd.) at PSIEC Industrial Focal Point, Chanalon (Kurali), S.A.S Nagar, Punja	Work Order No. & Date	WORK ORDER DT:21.10.2021
		Customer reference No. (If any)	NA
Sampling Protocol	IS:3025(P-1) 1987 RA2019	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	03/11/2021	Date of Receipt of Sample	03/11/2021
Sampling Location	Borewell	Testing Location	Permanent Facility
Testing Protocol	IS:10500-2012 (IInd Revision)	Period of Analysis	03/11/2021 To 13/11/2021
Sample Description	Clear colorless liquid.		
Packing, Markings, Seal & Qty.	2 Litre Plastic & 250ml Glass Bottle Marked 'S/03/01'		

RESULTS

I -Chemical Testing

1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Colour	Colour Units	BDL(DL5)	5	15	IS: 3025 (Part-4)CI 2.0
2	Odour	-	Agreeable	Agreeable	Agreeable	IS:3025 (Part-5)
3	pH @ 25°C	-	7.21	6.5-8.5	No relaxation	IS:3025 (Part-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS: 3025 (Part-8)
5	Turbidity	NTU	BDL(DL1)	1	5	IS 3025 (Part-10)
6	Chloride as Cl	mg/l	15	250	250	IS: 3025 (Part-32)
7	Iron as Fe	mg/l	0.18	1.0	No relaxation	APHA-23rd Ed -3500Fe-B Phenanthroline Method
8	Total hardness as CaCO ₃	mg/l	148	200	600	IS :3025 (Part-21)

II -Biological Testing

1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Total coliform	CFU/100ml	Absent	Absent	-	IS:15185
2	E.coli.	CFU/100ml	Absent	Absent	-	IS:15185

Checked by QA

Simranjit Kaur

Authorized Signatory-Biological

Umesh Kumar

Authorized Signatory-Chemical



TC-7477

ULR No. : TC747721000006829F

Test Report No. : EL031121NW004

Type of Sample : Water (Ground Water)

Date of Reporting : 13/11/2021


Remarks : NA

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

****End of Report****


Checked by QA

Format No. F/7.8.2-W-01-18.06.20 Rev 05


Simranjit Kaur
Authorized Signatory-Biological


Umesh Kumar
Authorized Signatory-Chemical



Page No. 2/2

TEST REPORT



TC-7477

ULR No. : TC747721000006828F		Test Report No. : EL031121NS001	
Type of Sample : Soil		Date of Reporting : 13/11/2021	
Customer	600, KLD Common Effluent Treatment Plant By Bantech Water Pvt. Ltd. (Formerly Known as M/s Bansal Envirotech Pvt. Ltd.) at PSIEC Industrial Focal Point, Chandalon (Kurali), S.A.S Nagar, Punja	Work Order No. & Date	WORK ORDER T:21.10.2021
		Customer reference No. (If any)	NA
Sampling Protocol	USEPA/600/R-92/128	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	03/11/2021	Date of Receipt of Sample	03/11/2021
Sampling Location	At Project Site	Testing Location	Permanent Facility
Testing Protocol	IS Method	Period of Analysis	03/11/2021 To 13/11/2021
Sample Description		Brown colored soil.	
Packing, Markings, Seal & Qty.		5Kg Poly Bag Marked 'S/03/01'	

RESULTS

I. Chemical Testing

1. Pollution & Environment (Soil)

S.No.	Test Parameter	Unit	Result	Test Method
1	pH	--	7.31	IS:2720 (Part-26) Cl-2,
2	Conductivity	mmhos/cm	0.789	IS:14767
3	Moisture Content	%	9.1	IS:2720 (Part-II) Sec-1
4	Organic Matter	%	1.29	IS: 2720 (Part XXII) Sec-1,
5	Texture	--	Sandy Loam	IS:2720 (Part-4) Cl 2,4,
6	Bulk Density	gm/cc	1.48	IS: 2720 (Part-7)

Remarks : NA

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable
Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Tyoti
Checked by QA

Umesh Kumar
Authorized Signatory-Chemical

TEST REPORT



ULR No. : TC747721000006831F		Test Report No. : EL061121NN001	
Type of Sample : Ambient Noise		Date of Reporting : 12/11/2021	
Customer	600, KLD Common Effluent Treatment Plant By Bantech Water Pvt. Ltd. (Formerly Known as M/s Bansal Envirotech Pvt. Ltd.) at PSIEC Industrial Focal Point, Chanalon (Kurali), S.A.S Nagar, Punja	Work Order No. & Date	WORK ORDER DT:21.10.2021
		Customer reference No. (If any)	NA
Sampling Protocol	IS 9989-1989, RA 2008.	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	03/11/2021	Date of Receipt of Sample	06/11/2021
Sampling Location	At Project Site	Period of Analysis	08/11/2021 To 08/11/2021
Testing Protocol	IS 9989-1989, RA 2008.		
Testing Location	On Site & Permanent Facility		

RESULTS

I- Chemical Testing

1. Atmospheric Pollution (Ambient Noise Level)

S.No.	Test Parameters	Units	Results	Method
1	Ambient Day Time Noise Levels	dB(A)	58.9	LAB SOP: EL/SOP/AN/01, Issue No.-04, Nov 10

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority, Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale 'A' which is relatable to human hearing

Remarks : NA

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable
Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Checked by QA

Umesh Kumar
Authorized Signatory-Chemical

TEST REPORT



ULR No. : TC747721000006830F		Test Report No. : EL061121NA001	
Type of Sample : Ambient Air Quality		Date of Reporting : 12/11/2021	
Customer	600, KLD Common Effluent Treatment Plant By Bantech Water Pvt. Ltd. (Formerly Known as M/s Bansal Envirotech Pvt. Ltd.) at PSIEC Industrial Focal Point, Chanalon (Kurali), S.A.S Nagar, Punja	Work Order No. & Date	WORK ORDER DT:21.10.2021
		Customer reference No. (If any)	NA
Sampling Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	03/11/2021	Date of Receipt of Sample	06/11/2021
Sampling Location	At Project Site	Period of Analysis	08/11/2021 To 12/11/2021
Testing Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Environmental Conditions	Clear sky
Testing Location	On Site & Permanent Facility		

RESULTS

I-Chemical Testing

1. Atmospheric Pollution (Ambient Air)

S.No.	Test Parameter	Unit	Result	Standard	Method
1	Respirable Suspended Particulate Matter (as PM10)	µg/m ³	91	100	IS: 5182 (Part-23)
2	Particulate Matter (as PM2.5)	µg/m ³	50	60	Lab SOP: EL/SOP/AAQ/01, Issue No. 03, Jan 01
3	Sulphur Dioxide (as SO ₂)	µg/m ³	13	80	IS: 5182 (Part-2)
4	Nitrogen Dioxide (as NO ₂)	µg/m ³	27	80	IS: 5182 (Part-6)
5	Ammonia (as NH ₃)	µg/m ³	24	400	Lab SOP: EL/SOP/AAQ/02, Issue No. -03, Jan 01
6	Ozone (as O ₃)	µg/m ³	26	180	IS: 5182 (Part-9)
7	Carbon Monoxide (as CO),	mg/m ³	0.72	04	IS: 5182 (Part-10), NDIR Method

Remarks : NA

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Checked by QA

Umesh Kumar
Authorized Signatory-Chemical

Form 59

[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By :
Government of Punjab

Date : **07/03/2025**
Time : **12:43:52 PM**
Validity upto : **06/09/2025**



Certificate SL. No. : PB06500920019240
 Registration No. : PB10GK3398
 Date of Registration : 13/Dec/2017
 Month & Year of Manufacturing : June-2017
 Valid Mobile Number : *****2434
 Emission Norms : EURO 4
 Fuel : DIESEL
 PUC Code : PB0650092
 GSTIN :
 Fees : Rs.100.00
 MIL observation : No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	1.62	0.45
This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.				

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC Operator
60mm x 20 mm

Form 59

[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By :

Government of Punjab

Date : 21/04/2025
Time : 15:56:37 PM
Validity upto : 20/10/2025



Certificate SL. No. : PB06500920020245
Registration No. : PB12A4701
Date of Registration : 09/Jan/1993
Month & Year of Manufacturing : January-1993
Valid Mobile Number : *****2517
Emission Norms : BHARAT STAGE I
Fuel : DIESEL
PUC Code : PB0650092
GSTIN :
Fees : Rs.100.00
MIL observation : No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.43
This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.				

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC Operator
60mm x 20 mm

Form 59

[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By :

Government of Punjab

Date : 21/04/2025
Time : 15:54:58 PM
Validity upto : 20/10/2025



Certificate SL. No. : PB06500920020244
Registration No. : PB65R6357
Date of Registration : 16/Jun/2012
Month & Year of Manufacturing : May-2012
Valid Mobile Number : *****2517
Emission Norms : BHARAT STAGE III
Fuel : DIESEL
PUC Code : PB0650092
GSTIN :
Fees : Rs.100.00
MIL observation : No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.45
This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.				

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC Operator
60mm x 20 mm

Form 59

[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By :

Government of Punjab

Date : 16/04/2025
Time : 15:12:37 PM
Validity upto : 15/10/2025



Certificate SL. No. : PB06500920020135
Registration No. : HR58A6388
Date of Registration : 28/Jun/2012
Month & Year of Manufacturing : May-2012
Valid Mobile Number : *****2517
Emission Norms : BHARAT STAGE III
Fuel : DIESEL
PUC Code : PB0650092
GSTIN :
Fees : Rs.100.00
MIL observation : No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.48
This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.				

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://puc.parivahan.gov.in>

Authorised Signature with stamp of PUC Operator
60mm x 20 mm



ਪ੍ਰਭ ਆਸਰਾ ਚੈਰੀਟੇਬਲ ਮੈਡੀਕਲ ਸੇਵਾ ਸੈਂਟਰ
PRABH AASRA CHARITABLE MEDICAL SEWA CENTRE

U/O UNIVERSAL DISABLED CARETAKER SOCIAL WELFARE SOCIETY (Regd.)

Ref. No. PACMSC/ 2025/48

Date: 07/08/2025

To,

The Management

Bantech Water Pvt. Ltd.

PSIEC Industrial Focal Point

Channalon

Kurali

Sub:- Emergency medical assistance to the employees of Bantech Water Pvt. Ltd.

Dear Sir/Madam,

This is with reference to your letter dt. 06.08.2025. We would like to mention that Prabh Aasra Charitable Hospital Kurali will be providing the emergency medical treatment to your employees whenever they are referred to our Hospital in case of any emergency or for OPD checkup.

Thanks & Regards

For Prabh Aasra Charitable Hospital, Kurali



PRABH AASRA CHARITABLE MEDICAL SEWA CENTRE: NH-205, Channalon, Kurali, S.A.S. Nagar (Mohali)-140103

Head Office: Prabh Aasra, Village-Padiala, Kurali, P.O. Sahauran, S.A.S. Nagar (Mohali), PB.

Phone: (Reception) 0160-5002582, (Pharmacy) 0160-2920992 | **Website:** www.prabhaasra.org | **Email:** info@prabhaasra.org

NOT FOR MEDICO - LEGAL PURPOSE



OPD BILL

PATIENT NAME: MR. SUMIR MANJHI
AGE/GENDER: 40 YEARS / M
UHID: FY25-CH-13034
IN ACC. OF: DR. SANDEEP KUMAR
ADDRESS: CHANALON, KURALI, PUNJAB,
INDIA
MOBILE NUMBER: +91 9056749585

BILL NO: FY25-B1-OP-25653
BILL DATE: 06/08/2025
DEPARTMENT: OPD

NO.	PARTICULARS	UNIT	RATE	AMOUNT
1	XRAY CHARGES PER FILM	1.00	150.00	150.00
2	COMPLETE BLOOD COUNT (CBC)	1.00	170.00	170.00
TOTAL(₹)				320.00

BILLED AMOUNT (₹) 320.00
TOTAL PAYABLE AMOUNT (₹) 320.00
PAID AMOUNT (₹) 320.00
NET PAYABLE AMOUNT (₹) 0.00

PAYMENT HISTORY

No	Date	Receipt No.	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25-REC-OP-25817	Receipt	Re. NARINDER	320.00	UPI	-

(₹) THREE HUNDRED AND TWENTY ONLY

For, Prabh Aasra Charitable Hospital

ENTRY BY: Re. NARINDER (06/08/2025 15:02)

AUTHORIZED SIGNATORY





OPD BILL

PATIENT NAME: MR. PRADEEP KUMAR
AGE/GENDER: 27 YEARS / M
UHID: FY25-CH-13048
IN ACC OF: DR. SANDEEP KUMAR
ADDRESS: CHANALON, KURALI, PUNJAB,
INDIA
MOBILE NUMBER: +91 9650272434

BILL NO: FY25-BI-OP-25665
BILL DATE: 06/08/2025
DEPARTMENT: OPD

NO.	PARTICULARS	UNIT	RATE	AMOUNT
1	COMPLETE BLOOD COUNT (CBC)	1.00	170.00	170.00
2	XRAY CHARGES PER FILM	1.00	150.00	150.00
TOTAL(₹)				320.00

BILLED AMOUNT (₹) 320.00
TOTAL PAYABLE AMOUNT (₹) 320.00
PAID AMOUNT(₹) 320.00
NET PAYABLE AMOUNT(₹) 0.00

PAYMENT HISTORY

No	Date	Receipt No.	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25-REC-OP-25825	Receipt	Dr. RAMANDEEP	320.00	Cash	-

(₹)THREE HUNDRED AND TWENTY ONLY

For, Prabh Aasra Charitable Hospital

AUTHORIZED SIGNATORY

ENTRY BY: Dr. RAMANDEEP (06/08/2025 15:34)





OPD BILL

PATIENT NAME: MR. SUSHIL BHARTI
AGE/GENDER: 23 YEARS / M
UHID: FY25-CH-13029
IN ACC. OF: DR. SANDEEP KUMAR
ADDRESS: CHANALON, KURALI, PUNJAB,
INDIA
MOBILE NUMBER: +91 9056749585

BILL NO: FY25-BI-OP-25655
BILL DATE: 06/08/2025
DEPARTMENT: OPD

NO.	PARTICULARS	UNIT	RATE	AMOUNT
1	XRAY CHARGES PER FILM	1.00	150.00	150.00
2	COMPLETE BLOOD COUNT (CBC)	1.00	170.00	170.00
TOTAL(₹)				320.00

BILLED AMOUNT (₹) 320.00
TOTAL PAYABLE AMOUNT (₹) 320.00
PAID AMOUNT(₹) 320.00
NET PAYABLE AMOUNT(₹) 0.00

PAYMENT HISTORY

No	Date	Receipt No.	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25-REC-OP-25819	Receipt	Re NARINDER	320.00	UPI	--

(₹)THREE HUNDRED AND TWENTY ONLY

For, Prabh Aasra Charitable Hospital

AUTHORIZED SIGNATORY

ENTRY BY: Re. NARINDER (06/08/2025 15:05)





OPD BILL

PATIENT NAME: MR. HARPREET SINGH
AGE/GENDER: 41 YEARS / M
UHID: FY25-CH-13039
IN ACC. OF: DR. SANDEEP KUMAR
ADDRESS: CHANALON, KURALI, PUNJAB,
INDIA
MOBILE NUMBER: +91 9056749585

BILL NO: FY25-BI-OP-25651
BILL DATE: 06/08/2025
DEPARTMENT: OPD

NO	PARTICULARS	UNIT	RATE	AMOUNT
1	XRAY CHARGES PER FILM	1 00	150.00	150.00
2	COMPLETE BLOOD COUNT (CBC)	1 00	170.00	170.00
TOTAL(₹)				320.00

BILLED AMOUNT (₹) 320.00
TOTAL PAYABLE AMOUNT (₹) 320.00
PAID AMOUNT(₹) 320.00
NET PAYABLE AMOUNT(₹) 0.00

PAYMENT HISTORY

No	Date	Receipt No	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25-REC-OP-25815	Receipt	Re. NARINDER	320.00	UPI	—

(₹)THREE HUNDRED AND TWENTY ONLY

For, Prabh Aasra Charitable Hospital

ENTRY BY: Re. NARINDER (06/08/2025 14:50)

AUTHORIZED SIGNATORY





OPD BILL

PATIENT NAME:	MR. NAVEEN KUMAR	BILL NO:	FY25-BI-OP-25650
AGE/GENDER:	31 YEARS / M	BILL DATE:	06/08/2025
UHID:	FY25-CH-13040	DEPARTMENT:	OPD
IN ACC. OF:	DR. SANDEEP KUMAR		
ADDRESS:	CHANALON, KURALI, PUNJAB, INDIA		
MOBILE NUMBER:	+91 9056749585		

NO	PARTICULARS	UNIT	RATE	AMOUNT
1	COMPLETE BLOOD COUNT (CBC)	1.00	170.00	170.00
2	XRAY CHARGES PER FILM	1.00	150.00	150.00
	TOTAL(₹)			320.00

BILLED AMOUNT (₹)	320.00
TOTAL PAYABLE AMOUNT (₹)	320.00
PAID AMOUNT(₹)	320.00
NET PAYABLE AMOUNT(₹)	0.00

PAYMENT HISTORY

No	Date	Receipt No.	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25- REC- OP-25614	Receipt	Re. NARINDER	320.00	UPI	-

(₹)THREE HUNDRED AND TWENTY ONLY

For, Prabh Aasra Charitable Hospital


AUTHORIZED SIGNATORY

ENTRY BY: Re. NARINDER (06/08/2025 14:48)





OPD BILL

PATIENT NAME: MR. RAJKUMAR RAM
AGE/GENDER: 23 YEARS / M
UHID: FY25-CH-13030
IN ACC OF: DR. SANDEEP KUMAR
ADDRESS: CHANALON, KURALI, PUNJAB,
INDIA
MOBILE NUMBER: +91 9056749585

BILL NO: FY25-BI-OP-25657
BILL DATE: 06/08/2025
DEPARTMENT: OPD

NO.	PARTICULARS	UNIT	RATE	AMOUNT
1	XRAY CHARGES PER FILM	1.00	150.00	150.00
2	COMPLETE BLOOD COUNT (CBC)	1.00	170.00	170.00
TOTAL(₹)				320.00

BILLED AMOUNT (₹) 320.00
TOTAL PAYABLE AMOUNT (₹) 320.00
PAID AMOUNT(₹) 320.00
NET PAYABLE AMOUNT(₹) 0.00

PAYMENT HISTORY

No	Date	Receipt No.	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25-REC-OP-25821	Receipt	Re NARINDER	320.00	UPI	-

(₹)THREE HUNDRED AND TWENTY ONLY

For, Prabh Aasra Charitable Hospital

AUTHORIZED SIGNATORY

ENTRY BY: Re NARINDER (06/08/2025 15:07)





OPD BILL

PATIENT NAME: MR. RAJU SINGH
AGE/GENDER: 46 YEARS / M
UHID: FY25-CH-13037
IN ACC OF: DR. SANDEEP KUMAR
ADDRESS: CHANALON, KURALL, PUNJAB,
INDIA
MOBILE NUMBER: +91 9056749585

BILL NO: FY25-BI-OP-25660
BILL DATE: 06/08/2025
DEPARTMENT: OPD

NO	PARTICULARS	UNIT	RATE	AMOUNT
1	COMPLETE BLOOD COUNT (CBC)	1.00	170.00	170.00
2	XRAY CHARGES PER FILM	1.00	150.00	150.00
TOTAL(₹)				320.00

BILLED AMOUNT (₹)	320.00
TOTAL PAYABLE AMOUNT (₹)	320.00
PAID AMOUNT(₹)	320.00
NET PAYABLE AMOUNT(₹)	0.00

PAYMENT HISTORY

No	Date	Receipt No.	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25-REC-OP-25824	Receipt	Re. NARINDER	320.00	UPI	-

(₹)THREE HUNDRED AND TWENTY ONLY

For, Prabh Aasra Charitable Hospital

AUTHORIZED SIGNATORY

ENTRY BY: Re. NARINDER (06/08/2025 15:10)





OPD BILL

PATIENT NAME: MR. MUNU KUMAR RAM
AGE/GENDER: 31 YEARS / M
UHID: FY25-CH-13033
IN ACC. OF: DR. SANDEEP KUMAR
ADDRESS: CHANALON, KURALI, PUNJAB,
INDIA
MOBILE NUMBER: +91 9056749585

BILL NO: FY25-BI-OP-25654
BILL DATE: 06/08/2025
DEPARTMENT: OPD

NO	PARTICULARS	UNIT	RATE	AMOUNT
1	XRAY CHARGES PER FILM	1.00	150.00	150.00
2	COMPLETE BLOOD COUNT (CBC)	1.00	170.00	170.00
TOTAL(₹)				320.00

BILLED AMOUNT (₹) 320.00
TOTAL PAYABLE AMOUNT (₹) 320.00
PAID AMOUNT (₹) 320.00
NET PAYABLE AMOUNT (₹) 0.00

PAYMENT HISTORY

No	Date	Receipt No.	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25-REC-OP-25618	Receipt	Re: NARINDER	320.00	UPI	-

(₹)THREE HUNDRED AND TWENTY ONLY

For, Prabh Aasra Charitable Hospital

AUTHORIZED SIGNATORY

ENTRY BY: Re: NARINDER (06/08/2025 15:03)





OPD BILL

PATIENT NAME: MR. AKLESH KUMAR
AGE/GENDER: 22 YEARS / M
UHID: FY25-CH-13036
IN ACC. OF: DR. SANDEEP KUMAR
ADDRESS: CHANALON, KURALI, PUNJAB,
INDIA
MOBILE NUMBER: +91 9056749585

BILL NO: FY25-BI-OP-25656
BILL DATE: 06/08/2025
DEPARTMENT: OPD

NO	PARTICULARS	UNIT	RATE	AMOUNT
1	XRAY CHARGES PER FILM	1.00	150.00	150.00
2	COMPLETE BLOOD COUNT (CBC)	1.00	170.00	170.00
TOTAL(₹)				320.00

BILLED AMOUNT (₹) 320.00
TOTAL PAYABLE AMOUNT (₹) 320.00
PAID AMOUNT(₹) 320.00
NET PAYABLE AMOUNT(₹) 0.00

PAYMENT HISTORY

No	Date	Receipt No.	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25-REC-OP 25820	Receipt	Re: NARINDER	320.00	UPI	-

(₹)THREE HUNDRED AND TWENTY ONLY

For, Prabh Aasra Charitable Hospital

AUTHORIZED SIGNATORY

ENTRY BY: Re: NARINDER (06/08/2025 15:06)





OPD BILL

PATIENT NAME: MR. VIJAY KUMAR
AGE/GENDER: 22 YEARS / M
UHID: FY25-CH-13035
IN ACC. OF: DR. SANDEEP KUMAR
ADDRESS: CHANALON, KURALI, PUNJAB,
INDIA
MOBILE NUMBER: +91 9056749585

BILL NO: FY25-BI-OP-25649
BILL DATE: 06/08/2025
DEPARTMENT: OPD

NO	PARTICULARS	UNIT	RATE	AMOUNT
1	COMPLETE BLOOD COUNT (CBC)	1.00	170.00	170.00
2	XRAY CHARGES PER FILM	1.00	150.00	150.00
TOTAL(₹)				320.00

BILLED AMOUNT (₹) 320.00
TOTAL PAYABLE AMOUNT (₹) 320.00
PAID AMOUNT(₹) 320.00
NET PAYABLE AMOUNT(₹) 0.00

PAYMENT HISTORY

No	Date	Receipt No.	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25-REC-OP-25813	Receipt	Re. NARINDER	320.00	UPI	-

(₹)THREE HUNDRED AND TWENTY ONLY

For Prabh Aasra Charitable Hospital

AUTHORIZED SIGNATORY

ENTRY BY: Re. NARINDER (06/08/2025 14:47)





OPD BILL

PATIENT NAME: MR. SHANI
AGE/GENDER: 28 YEARS / M
UHID: FY25-CH-13032
IN ACC. OF: DR. MONICA JASSAL
ADDRESS: CHANALON, KURALI, PUNJAB,
INDIA
MOBILE NUMBER: +91 9056749585

BILL NO: FY25-BI-OP-25648
BILL DATE: 06/08/2025
DEPARTMENT: OPD

NO.	PARTICULARS	UNIT	RATE	AMOUNT
1	XRAY CHARGES PER FILM	1.00	150.00	150.00
2	COMPLETE BLOOD COUNT (CBC)	1.00	170.00	170.00
TOTAL(₹)				320.00

BILLED AMOUNT (₹) 320.00
TOTAL PAYABLE AMOUNT (₹) 320.00
PAID AMOUNT(₹) 320.00
NET PAYABLE AMOUNT(₹) 0.00

PAYMENT HISTORY

No	Date	Receipt No.	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25-REC-OP-25812	Receipt	Re. NARINDER	320.00	UPI	--

(₹)THREE HUNDRED AND TWENTY ONLY

For, Prabh Aasra Charitable Hospital

AUTHORIZED SIGNATORY

ENTRY BY: Re. NARINDER (06/08/2025 14:47)





OPD BILL

PATIENT NAME: MR. RAVENDRA PAL
AGE/GENDER: 27 YEARS / M
UHID: FY25-CH-13041
IN ACC. OF: DR. SANDEEP KUMAR
ADDRESS: CHANALON, KURALI, PUNJAB,
INDIA
MOBILE NUMBER: +91 9056749585

BILL NO: FY25-BI-OP-25658
BILL DATE: 06/08/2025
DEPARTMENT: OPD

NO	PARTICULARS	UNIT	RATE	AMOUNT
1	XRAY CHARGES PER FILM	1.00	150.00	150.00
2	COMPLETE BLOOD COUNT (CBC)	1.00	170.00	170.00
TOTAL(₹)				320.00

BILLED AMOUNT (₹) 320.00
TOTAL PAYABLE AMOUNT (₹) 320.00
PAID AMOUNT (₹) 320.00
NET PAYABLE AMOUNT (₹) 0.00

PAYMENT HISTORY

No	Date	Receipt No.	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25-REC-OP-25822	Receipt	Re NARINDER	320.00	UPI	-

(₹)THREE HUNDRED AND TWENTY ONLY

For, Prabh Aasra Charitable Hospital

AUTHORIZED SIGNATORY

ENTRY BY: Re NARINDER (06/08/2025 15:08)

OPD BILL

PATIENT NAME: MR. JITENDRA MANJHI
AGE/GENDER: 35 YEARS / M
UHID: FY25-CH-13031
IN ACC OF: DR. SANDEEP KUMAR
ADDRESS: CHANALON, KURALI, PUNJAB, INDIA
MOBILE NUMBER: +91 9056749585

BILL NO: FY25-BI-OP-25661
BILL DATE: 06/08/2025
DEPARTMENT: OPD

NO	PARTICULARS	UNIT	RATE	AMOUNT
1	XRAY CHARGES PER FILM	1.00	150.00	150.00
2	COMPLETE BLOOD COUNT (CBC)	1.00	170.00	170.00
TOTAL(₹)				320.00

BILLED AMOUNT (₹) 320.00
TOTAL PAYABLE AMOUNT (₹) 320.00
PAID AMOUNT(₹) 320.00
NET PAYABLE AMOUNT(₹) 0.00

PAYMENT HISTORY

No	Date	Receipt No.	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25-REC-OP-25625	Receipt	Re: NARINDER	320.00	UPI	--

(₹)THREE HUNDRED AND TWENTY ONLY

For, Prabh Aasra Charitable Hospital

AUTHORIZED SIGNATORY

ENTRY BY: Re: NARINDER (06/08/2025 15:11)





OPD BILL

PATIENT NAME: MR. RADHEY SHAM
AGE/GENDER: 42 YEARS / M
UHD: FY25-CH-13038
IN ACC. OF: DR. SANDEEP KUMAR
ADDRESS: CHANALON, KURALI, PUNJAB,
INDIA
MOBILE NUMBER: +91 9056749585

BILL NO: FY25-BI-OP-25659
BILL DATE: 06/08/2025
DEPARTMENT: OPD

NO	PARTICULARS	UNIT	RATE	AMOUNT
1	XRAY CHARGES PER FILM	1.00	150.00	150.00
2	COMPLETE BLOOD COUNT (CBC)	1.00	170.00	170.00
TOTAL(₹)				320.00

BILLED AMOUNT (₹)	320.00
TOTAL PAYABLE AMOUNT (₹)	320.00
PAID AMOUNT (₹)	320.00
NET PAYABLE AMOUNT (₹)	0.00

PAYMENT HISTORY

No	Date	Receipt No.	Transaction Type	Process By	Amount	Payment Mode	Given By
1	06/08/2025	FY25-REC-OP-25823	Receipt	Re. NARINDER	320.00	UPI	--

(₹)THREE HUNDRED AND TWENTY ONLY

For, Prabh Aasra Charitable Hospital

AUTHORIZED SIGNATORY

ENTRY BY: Re. NARINDER (06/08/2025 15:09)



Full Medical Report



Prabh Aasra
Charitable Hospital

**Your Health is
our priority**

MR. ^{RA} PARDEEP KUMAR
27 Years / MALE

Appointment No. : PA-19368
Appointment Date : 06/08/2025
Token No. : 56
Doctor : DR. SANDEEP KUMAR
Doctor Degree : MBBS.MD MEDICINE
Doctor Speciality : MEDICINE

Weight :
UHID : FY25-CH-13048
Mobile : +91 9650272434
Address : CHANALON, KURALI, PUNJAB,
INDIA

BP- 120/80
SpO2- 99%
Pulse- 86bpm

For medical Rxn

no pain complaints

[- CXR
- CBC]
✓

CVS
RI
PIA
CNS
- AAD -

- pt is fit for going his duties

380/-
CBL + X-ray

Dr. Sandeep Kumar
MBBS, MD Medicine
Consultant - Internal Medicine
Ex PGI Chandigarh



MR. PRADEEP KUMAR
 27 Years / Male
 DR. SANDEEP KUMAR

UHID: FY25-CH-13048



Registered On: 06-08-2025 03:34 PM
 Collected On: 06-08-2025 03:55 PM
 Received On: 06-08-2025 03:55 PM
 Reported On: 06-08-2025 04:13 PM

HEMATOLOGY

CBC

TEST	RESULT	UNIT	REFERENCE RANGE
BLOOD COUNT & INDICES			
HEMOGLOBIN	13.3	g/dL	12.5 - 17
HEMATOCRIT	L 35.0	%	40 - 50
TOTAL RBCs	L 3.98	1E03/mm3	4.5 - 5.5
MCV	88.0	fL	78 - 100
MCH	33.4	pg	25 - 34
MCHC	H 37.9	g/dL	32 - 35
RDW-CV	12.5	%	12 - 13
PLATELET COUNT	1.56	1E03/mm3	1.5 - 4.5
PCT	0.179	%	0.15 - 0.4
PDW	16.3	fL	11 - 20
MPV	11.5	fL	7.4 - 12
WBC COUNT	4.67	1E03/mm3	4.0 - 11.0
DIFFERENTIAL WBC COUNT			
NEUTROPHILS %	41	%	40 - 75
LYMPHOCYTES %	H 49	%	15 - 45
MONOCYTES %	06	%	2 - 10
EOSINOPHILS %	04	%	0.5 - 7
BASOPHILS %	01	%	0 - 1
NEUTROPHILS #	L 1.91	1E03/mm3	2.5 - 8
LYMPHOCYTES #	2.29	1E03/mm3	1 - 4
MONOCYTES #	0.28	1E03/mm3	0.2 - 1
EOSINOPHILS #	0.19	1E03/mm3	0 - 0.5
BASOPHILS #	0.00	1E03/mm3	0 - 0.1




Insurance of Employees

IRDAI Registration Number – 137

SHRIRAM GENERAL INSURANCE COMPANY LIMITED
Shriram General Insurance Co.Ltd., Kaula Park, Flat
No. 2, Near Hotel Hot Chop, Sangrur
PUNJAB - 148001
CONTACT (TOLL FREE): 7412031910

pardeep kumar
s/o ramveer singh, 193 launga bulandshahr

BULANDSHAHR, UTTAR PRADESH
245412

Subject: SHRI INDIVIDUAL PERSONAL ACCIDENT Policy Number 105016/49/26/000057 with Risk Start
Date 06/08/2025

Dear Patron,

We are delighted to have you as our customer and express our gratitude for selecting us as provider of your insurance needs.

"We are pleased to inform you that your **SHRI INDIVIDUAL PERSONAL ACCIDENT** policy bearing policy number **105016/49/26/000057** is enclosed with

- Policy Schedule
- CIS
- Policy Wordings
- Digital Proposal Form

The Terms, conditions, exclusions, warranties, deductibles and general regulations which govern the policy are part of the policy document enclosed."

The policy is issued on the basis of information furnished in proposal form / information provided by you, your intermediary/your representatives in writing/orally. You are requested to go through the policy documents thoroughly and in case of any discrepancy in the document, please inform immediately on **customer.support@shriramgi.com** for necessary rectification if required but not later than 15 days from the date of issuance of the policy document. In the absence of any communication from your end, we shall consider that the terms, conditions and other contents of the policy are in alignment with your requirements.

We look forward to a continuing and mutually beneficial relationship.

For Shriram General Insurance
Company Ltd.

Authorized Signatory

SHRIRAM GENERAL INSURANCE COMPANY LIMITED
Shriram General Insurance Co. Ltd. Dashrath Manji
Vid. 2, Near Hotel for Indus, Saran
PIN/ZIP – 841201
CONTACT TEL. NO.: 7422031850

Jitendra manjhi
S/O Dashrath Manjhi, kabirpur

SARAN, BIHAR
841201

Subject: SHRI INDIVIDUAL PERSONAL ACCIDENT Policy Number 105016/49/26/000058 with Risk Inst
Date 06/08/2025

Dear Patron,

We are delighted to have you as our customer and express our gratitude for selecting us as provider of your insurance needs.

"We are pleased to inform you that your **SHRI INDIVIDUAL PERSONAL ACCIDENT** policy bearing policy number **105016/49/26/000058** is enclosed with

- Policy Schedule
- CIS
- Policy Wordings
- Digital Proposal Form

The Terms, conditions, exclusions, warranties, deductibles and general regulations which govern the policy are part of the policy document enclosed."

The policy is issued on the basis of information furnished in proposal form / information provided by you, your intermediary/your representatives in writing/orally. You are requested to go through the policy documents thoroughly and in case of any discrepancy in the document, please inform immediately on customer.support@shriramgi.com for necessary rectification if required but not later than 15 days from the date of issuance of the policy document. In the absence of any communication from your end, we shall consider that the terms, conditions and other contents of the policy are in alignment with your requirements.

We look forward to a continuing and mutually beneficial relationship.

For Shriram General Insurance
Company Ltd.

Authorized Signatory

SHRIRAM GENERAL INSURANCE COMPANY LIMITED
Shriram General Insurance Co.Ltd., Kaula Park, Flat
No. 2, Near Hotel Hot Chop, Sangrur
PUNJAB - 148001
CONTACT (TOLL FREE): 7412031910

Radhey sham

H. no 208, gali no 3 badala road w no 18, anand n

MOHALI, PUNJAB

140301

Subject: SHRI INDIVIDUAL PERSONAL ACCIDENT Policy Number 105016/49/26/000054 with Risk Start
Date 06/08/2025

Dear Patron,

We are delighted to have you as our customer and express our gratitude for selecting us as provider of your insurance needs.

"We are pleased to inform you that your **SHRI INDIVIDUAL PERSONAL ACCIDENT** policy bearing policy number **105016/49/26/000054** is enclosed with

- Policy Schedule
- CIS
- Policy Wordings
- Digital Proposal Form

The Terms, conditions, exclusions, warranties, deductibles and general regulations which govern the policy are part of the policy document enclosed."

The policy is issued on the basis of information furnished in proposal form / information provided by you, your intermediary/your representatives in writing/orally. You are requested to go through the policy documents thoroughly and in case of any discrepancy in the document, please inform immediately on **customer.support@shriramgi.com** for necessary rectification if required but not later than 15 days from the date of issuance of the policy document. In the absence of any communication from your end, we shall consider that the terms, conditions and other contents of the policy are in alignment with your requirements.

We look forward to a continuing and mutually beneficial relationship.

For Shriram General Insurance
Company Ltd.

Authorized Signatory

SHRIRAM GENERAL INSURANCE COMPANY LIMITED
Shriram General Insurance Co.Ltd., Kaula Park, Flat
No. 2, Near Hotel Hot Chop, Sangrur
PUNJAB - 148001
CONTACT (TOLL FREE): 7412031910

Munu kumar ram
s/o Surendra ram, rustampur, hayaghat

DARBHANGA, BIHAR
847301

Subject: SHRI INDIVIDUAL PERSONAL ACCIDENT Policy Number 105016/49/26/000056 With Risk Start
Date 06/08/2025

Dear Patron,

We are delighted to have you as our customer and express our gratitude for selecting us as provider of your insurance needs.

"We are pleased to inform you that your **SHRI INDIVIDUAL PERSONAL ACCIDENT** policy bearing policy number **105016/49/26/000056** is enclosed with

- Policy Schedule
- CIS
- Policy Wordings
- Digital Proposal Form

The Terms, conditions, exclusions, warranties, deductibles and general regulations which govern the policy are part of the policy document enclosed."

The policy is issued on the basis of information furnished in proposal form / information provided by you, your intermediary/your representatives in writing/orally. You are requested to go through the policy documents thoroughly and in case of any discrepancy in the document, please inform immediately on customer.support@shriramgi.com for necessary rectification if required but not later than 15 days from the date of issuance of the policy document. In the absence of any communication from your end, we shall consider that the terms, conditions and other contents of the policy are in alignment with your requirements.

We look forward to a continuing and mutually beneficial relationship.

For Shriram General Insurance
Company Ltd.

Authorized Signatory

SHRIRAM GENERAL INSURANCE COMPANY LIMITED
Shriram General Insurance Co.Ltd., Kaula Park, Flat
No. 2, Near Hotel Hot Chop, Sangrur
PUNJAB - 148001
CONTACT (TOLL FREE): 7412031910

Harpreet Singh

s/o avtar singh, #4729, ward no 1, Haveli kalan

ROPAR, PUNJAB

140001

Subject: SHRI INDIVIDUAL PERSONAL ACCIDENT Policy Number 105016/49/26/000059 with Risk Start
Date 06/08/2025

Dear Patron,

We are delighted to have you as our customer and express our gratitude for selecting us as provider of your insurance needs.

"We are pleased to inform you that your **SHRI INDIVIDUAL PERSONAL ACCIDENT** policy bearing policy number **105016/49/26/000059** is enclosed with

- Policy Schedule
- CIS
- Policy Wordings
- Digital Proposal Form

The Terms, conditions, exclusions, warranties, deductibles and general regulations which govern the policy are part of the policy document enclosed."

The policy is issued on the basis of information furnished in proposal form / information provided by you, your intermediary/your representatives in writing/orally. You are requested to go through the policy documents thoroughly and in case of any discrepancy in the document, please inform immediately on **customer.support@shriramgi.com** for necessary rectification if required but not later than 15 days from the date of issuance of the policy document. In the absence of any communication from your end, we shall consider that the terms, conditions and other contents of the policy are in alignment with your requirements.

We look forward to a continuing and mutually beneficial relationship.

For Shriram General Insurance
Company Ltd.

Authorized Signatory

SHRIRAM GENERAL INSURANCE COMPANY LIMITED
Shriram General Insurance Co.Ltd., Kaula Park, Flat
No. 2, Near Hotel Hot Chop, Sangrur
PUNJAB - 148001
CONTACT (TOLL FREE): 7412031910

padam verma

S/O Baldev singh, 294 near market commeeetty wno 11

SIRSA, HARYANA

125076

Subject: SHRI INDIVIDUAL PERSONAL ACCIDENT Policy Number 105016/49/26/000060 with Risk Start
Date 06/08/2025

Dear Patron,

We are delighted to have you as our customer and express our gratitude for selecting us as provider of your insurance needs.

"We are pleased to inform you that your **SHRI INDIVIDUAL PERSONAL ACCIDENT** policy bearing policy number **105016/49/26/000060** is enclosed with

- Policy Schedule
- CIS
- Policy Wordings
- Digital Proposal Form

The Terms, conditions, exclusions, warranties, deductibles and general regulations which govern the policy are part of the policy document enclosed."

The policy is issued on the basis of information furnished in proposal form / information provided by you, your intermediary/your representatives in writing/orally. You are requested to go through the policy documents thoroughly and in case of any discrepancy in the document, please inform immediately on **customer.support@shriramgi.com** for necessary rectification if required but not later than 15 days from the date of issuance of the policy document. In the absence of any communication from your end, we shall consider that the terms, conditions and other contents of the policy are in alignment with your requirements.

We look forward to a continuing and mutually beneficial relationship.

For Shriram General Insurance
Company Ltd.

Authorized Signatory

SHRIRAM GENERAL INSURANCE COMPANY LIMITED
Shriram General Insurance Co.Ltd., Kaula Park,Flat
No. 2, Near Hotel Hot Chop, Sangrur
PUNJAB - 148001
CONTACT (TOLL FREE): 7412031910

vijay kumar
shrawasti up

SHRAWASTI,UTTAR PRADESH
271845

Subject: SHRI INDIVIDUAL PERSONAL ACCIDENT Policy Number 105016/49/26/000061 with Risk Start
Date 06/08/2025

Dear Patron,

We are delighted to have you as our customer and express our gratitude for selecting us as provider of your insurance needs.

"We are pleased to inform you that your **SHRI INDIVIDUAL PERSONAL ACCIDENT** policy bearing policy number **105016/49/26/000061** is enclosed with

- Policy Schedule
- CIS
- Policy Wordings
- Digital Proposal Form

The Terms, conditions, exclusions, warranties, deductibles and general regulations which govern the policy are part of the policy document enclosed."

The policy is issued on the basis of information furnished in proposal form / information provided by you, your intermediary/your representatives in writing/orally.You are requested to go through the policy documents thoroughly and in case of any discrepancy in the document, please inform immediately on **customer.support@shriramgi.com** for necessary rectification if required but not later than 15 days from the date of issuance of the policy document. In the absence of any communication from your end, we shall consider that the terms, conditions and other contents of the policy are in alignment with your requirements.

We look forward to a continuing and mutually beneficial relationship.

For Shriram General Insurance
Company Ltd.

Authorized Signatory

SHRIRAM GENERAL INSURANCE COMPANY LIMITED
Shriram General Insurance Co.Ltd., Kaula Park, Flat
No. 2, Near Hotel Hot Chop, Sangrur
PUNJAB - 148001
CONTACT (TOLL FREE): 7412031910

raju singh

House number 100, siswa road, ward number 7

MOHALI, PUNJAB

140103

Subject: SHRI INDIVIDUAL PERSONAL ACCIDENT Policy Number 105016/49/26/000062 with Risk Start
Date 06/08/2025

Dear Patron,

We are delighted to have you as our customer and express our gratitude for selecting us as provider of your insurance needs.

"We are pleased to inform you that your **SHRI INDIVIDUAL PERSONAL ACCIDENT** policy bearing policy number **105016/49/26/000062** is enclosed with

- Policy Schedule
- CIS
- Policy Wordings
- Digital Proposal Form

The Terms, conditions, exclusions, warranties, deductibles and general regulations which govern the policy are part of the policy document enclosed."

The policy is issued on the basis of information furnished in proposal form / information provided by you, your intermediary/your representatives in writing/orally. You are requested to go through the policy documents thoroughly and in case of any discrepancy in the document, please inform immediately on **customer.support@shriramgi.com** for necessary rectification if required but not later than 15 days from the date of issuance of the policy document. In the absence of any communication from your end, we shall consider that the terms, conditions and other contents of the policy are in alignment with your requirements.

We look forward to a continuing and mutually beneficial relationship.

For Shriram General Insurance
Company Ltd.

Authorized Signatory

SHRIRAM GENERAL INSURANCE COMPANY LIMITED
Shriram General Insurance Co.Ltd., Kaula Park, Flat
No. 2, Near Hotel Hot Chop, Sangrur
PUNJAB - 148001
CONTACT (TOLL FREE): 7412031910

Mr Shani

s/o mannu ram , Aira bujurg, Azamgarh,Aira

AZAMGARH,UTTAR PRADESH

276126

Subject: SHRI INDIVIDUAL PERSONAL ACCIDENT Policy Number 105016/49/26/000064 with Risk Start
Date 07/08/2025

Dear Patron,

We are delighted to have you as our customer and express our gratitude for selecting us as provider of your insurance needs.

"We are pleased to inform you that your **SHRI INDIVIDUAL PERSONAL ACCIDENT** policy bearing policy number **105016/49/26/000064** is enclosed with

- Policy Schedule
- CIS
- Policy Wordings
- Digital Proposal Form

The Terms, conditions, exclusions, warranties, deductibles and general regulations which govern the policy are part of the policy document enclosed."

The policy is issued on the basis of information furnished in proposal form / information provided by you, your intermediary/your representatives in writing/orally.You are requested to go through the policy documents thoroughly and in case of any discrepancy in the document, please inform immediately on **customer.support@shriramgi.com** for necessary rectification if required but not later than 15 days from the date of issuance of the policy document. In the absence of any communication from your end, we shall consider that the terms, conditions and other contents of the policy are in alignment with your requirements.

We look forward to a continuing and mutually beneficial relationship.

For Shriram General Insurance
Company Ltd.

Authorized Signatory

SHRIRAM GENERAL INSURANCE COMPANY LIMITED
Shriram General Insurance Co Ltd., Kaula Park, Flat
No. 2, Near Hotel Hot Chop, Sanghur
PUNJAB - 148001
CONTACT (TOLL FREE): 7412091310

Naveen kumar

S/O Subeh singh hakimpura charthawal rural

MUZAFFARNAGAR, UTTAR PRADESH
251311

Subject: SHRI INDIVIDUAL PERSONAL ACCIDENT Policy Number 105016/49/26/000063 with Risk Start
Date 06/08/2025

Dear Patron,

We are delighted to have you as our customer and express our gratitude for selecting us as provider of your insurance needs.

"We are pleased to inform you that your **SHRI INDIVIDUAL PERSONAL ACCIDENT** policy bearing policy number **105016/49/26/000063** is enclosed with

- Policy Schedule
- CIS
- Policy Wordings
- Digital Proposal Form

The Terms, conditions, exclusions, warranties, deductibles and general regulations which govern the policy are part of the policy document enclosed."

The policy is issued on the basis of information furnished in proposal form / information provided by you, your intermediary/your representatives in writing/orally. You are requested to go through the policy documents thoroughly and in case of any discrepancy in the document, please inform immediately on customer.support@shriramgi.com for necessary rectification if required but not later than 15 days from the date of issuance of the policy document. In the absence of any communication from your end, we shall consider that the terms, conditions and other contents of the policy are in alignment with your requirements.

We look forward to a continuing and mutually beneficial relationship.

For Shriram General Insurance
Company Ltd.

Authorized Signatory

Mr Shani

s/o mannu ram , Aira bujurg, Azamgarh,Aira

AZAMGARH,UTTAR PRADESH

276126

Subject: SHRI INDIVIDUAL PERSONAL ACCIDENT Policy Number 105016/49/26/000064 with Risk Start
Date 07/08/2025

Dear Patron,

We are delighted to have you as our customer and express our gratitude for selecting us as provider of your insurance needs.

"We are pleased to inform you that your **SHRI INDIVIDUAL PERSONAL ACCIDENT** policy bearing policy number **105016/49/26/000064** is enclosed with

- Policy Schedule
- CIS
- Policy Wordings
- Digital Proposal Form

The Terms, conditions, exclusions, warranties, deductibles and general regulations which govern the policy are part of the policy document enclosed."

The policy is issued on the basis of information furnished in proposal form / information provided by you, your intermediary/your representatives in writing/orally. You are requested to go through the policy documents thoroughly and in case of any discrepancy in the document, please inform immediately on customer.support@shriramgi.com for necessary rectification if required but not later than 15 days from the date of issuance of the policy document. In the absence of any communication from your end, we shall consider that the terms, conditions and other contents of the policy are in alignment with your requirements.

We look forward to a continuing and mutually beneficial relationship.

For Shriram General Insurance
Company Ltd.

Authorized Signatory

INVITATION



"ON THIS ENVIRONMENT DAY"

JOIN OUR TREE PLANTATION DRIVE

You are cordially invited to

CELEBRATE

53rd WORLD ENVIRONMENT DAY
Ending Plastic Pollution
On 5th June 2025, at 10:00 am

VENUE:

Bantech Water Private Limited
Industrial Focal Point, Chanalon, SAS Nagar, Mohali

World Environment Day-2025, Badges Distribution



World Environment Day-2025, Badges Distribution



World Environment Day-2025, Plantation

bantech
water



World Environment Day-2025, Plantation

bantech
water



World Environment Day-2025, Plantation

bantech
water



Group Photo

bantech
water



Group Photo



Prize Distribution

bantech
water



Prize Distribution



59

PUBLIC NOTICE

It is for the information of General Public that M/s Bansal EnviroTech Pvt. Ltd. has been granted Environmental Clearance by State Level Environment Impact Assessment Authority (SEIAA), Punjab for Establishment of 600 KLD Common Effluent Treatment Plant (CETP) located at PSIEC Industrial Focal Point, Chandalon (Kurali), Distt. S.A.S. Nagar (Mohali), Punjab vide Letter No. DECC/SEIAA/2020/3286 dated 05.11.2020 through our Environmental Consultant "M/s Eco Laboratories & Consultants Pvt. Ltd., Mohali". The copy of the Environmental Clearance along with the conditions to be complied is available with Environmental Clearance portal and with the Project proponent. The interested person can contact either of the two.

M/s Bansal EnviroTech Pvt. Ltd

**Plot no. 24, Phase I, Industrial Area,
Chandigarh - 160030**

**M/s. Eco Laboratories & Consultants Pvt. Ltd.
E-207, Industrial Area, Phase VIII-B,
Sector-74, Mohali, Punjab.**



- Highly toxic cancer causing effluent
- Catering to MSME industries
- Cost efficient and reliable technology
- ZLD (Zero Liquid Discharge).
- Constructed during pandemic
- Built and Constructed in record time.
- Will be recycling 180 million liters of water every year
- Fully automatic PLC based SCADA plant.



Environmental Clearance

pdf

Compliance Report (EIA)

pdf

Date: 23.11.2021

To
The Joint Director,
Ministry of Environment, Forest & Climate Change,
Regional Office (North),
Government of India,
Bay No. 24-25, Sector-31A,
Chandigarh 160030.

Subject: Submission of six-monthly compliance report for period ending 30.09.2021 for the project namely "600 KLD Common Effluent Treatment Plant (CETP)" located at PSIEC Industrial Focal Point, Chandalon (Kurali), Punjab by M/s Bantech Water Pvt. Ltd.

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting the six monthly compliance report for period ending 30.09.2021 for the above said project in soft copy in compact disk (CD) of the compliance report for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you.

Sincerely,

For M/s Bantech Water Pvt. Ltd.



(Authorized Signatory)

Name:

Contact No.:

Designation:

E-mail:

CC: Member Secretary, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector 26, Chandigarh-160019.

Plot No. 24, Phase - 1, Industrial Area, Chandigarh, India - 160002

www.bantechwater.com, info@bantechwater.com, 0172-4562228



MOHALI INDUSTRIES ASSOCIATION

(An ISO 9001:2008 Certified Association)

MIA Bhawan, Bay No. 143-144, Opp. E.S.I. Hospital, Industrial Area, Phase VII
S.A.S. Nagar (Mohali)-160 055 (Pb.) Phone: +91-172-2236576, 5091399
Website: www.mohaliindustries.com, e-mail: miaphase7@gmail.com

No.MIA-367/2020

Dated: August 28, 2020

Mr. Siddharth Bansal,
Chairman,
Bansal EnviroTech Pvt Ltd

Subject : Intent for consumption of treated water from CETP, Chanalon.

Dear Sir,

In furtherance of Letter of Award issued to Bansal EnviroTech Pvt Ltd dated February 27, 2019 by Mohali Industries Association ("MIA") bearing number MIA-548/2019, it understood that the Common Effluent Treatment Plant ("CETP") shall treat and generated treated water to the tune of 300 KLD ("Three Hundred Kilo Litres Per Day") approximately. It is represented by Bansal EnviroTech Pvt Ltd that all such treated water shall adhere to the guidelines and norms enshrined under The Environment (Protection) Rules, 1986 and its subsequent amendments and any other applicable norms issued by Punjab Pollution Control Board ("PPCB").

Provided that the treated water is in consonance with aforementioned norms and the input norms desired by the industries, Bansal EnviroTech may supply treated water to any member industrial unit of MIA, if such is desired by the industry at mutually agreeable terms and conditions.

Furthermore, such supply shall only be undertaken if due permission/No-Objection is granted to the respective industrial unit and Bansal EnviroTech by Punjab Pollution Control Board or any other appropriate authority.

As such, this does not constitute authorization or permission to undertake such transfer but merely reflects the intent to undertake such an endeavour in the future, if required.

Yours sincerely,

(Yogesh Sagar)
President